

EDWARD SIMON

Painting Co.

7220 MURDOCH AVENUE
P.O. BOX 190369
SHREWSBURY, MISSOURI 63119-6369
FAX 314-647-0529 314-647-4031



August 17, 1993

Chief, Enforcement Section
Hazardous Waste Program,
Department of Natural Resources,
P. O. Box 176,
Jefferson City, Mo. 65102

AUG 23 '93

Re: Missouri Department of Natural Resources
Notice of Violation Pursuant to Requirements of the Missouri
Hazardous Waste Management Law, Rules and Regulations #3238

To whom it may concern:

We have taken the following actions concerning six (6) citations on Notice of
Violation #3238, inspection on August 4, 1993:

- 1) Citation Number: 40 CFR 262.11
Description: Failure to determine if a waste is hazardous.
Item: 55 gallon drum of "Armortop - Floor Sealer Concrete Hardener"
Action Taken:
 - a. Obtained a MSDS (Copy attached).
 - b. Poured off into ten - five gallon containers.
 - c. Each container has been labeled.
 - d. We have arranged to give all ten containers toSchedule: Salvation Army/Flood Relief - Receipt dtd. 8-19-93 attached.
- 2) Citation Number: 40 CFR 262.34 (e)
Description: Storage of Hazardous Waste over 180 days.
Item: Three - 55 gallon drums containing various amounts of hardened & thick pourable sludge.
Action Taken:
 - a. Hired Safety-Kleen to take a sample from all three drums, and do a Material Survey (copy attached #312033). Samples taken on 8-10-93.
 - b. Consolidated the various levels of contents from the three 55 gallon drums into one 55 gallon drum. (The two, now empty, drums are stored at our shop. One will be painted and labeled "Spill Control" for storing Oil Dry and Slikwik Sorbents.)
 - c. Material Survey Report takes 2 - 3 weeks, so estimated shipping date of sludge is September 1st.Schedule:
- 3) Citation Number: 40 CFR 265.173 (a)
Description: Open containers of Hazardous Waste.
Item: Satellite storage, use of funnel in an open container, and all open containers in general.
Action Taken:
 - a. All containers have been properly closed, and funnels removed until actual time of use. Employees have been instructed not to leave any containers open, except at time of actual use only.

463602



RCRA RECORDS


(continued: 8-17-93; DNR; Violation Notice #3238.)

- 4) Citation Number: 40 CFR 262.32 (b)
Description: Waste Containers not marked.
Item: Three 55 gal. drums - See Item #2.
Satellite Storage - This will be our only storage.
Action Taken: Safety-Kleen labels and usually dates our Satellite storage containers. Responsible employees have been instructed to make sure a label and date is on all containers that are delivered by Safety-Kleen for the purpose of Satellite Storage of Hazardous Waste.
Schedule: Immediately. All containers for the purpose of Hazardous Waste storage, will be checked immediately upon receipt from our supplier Safety Kleen. Current containers are marked.
- 5) Citation Number: 40 CFR 262.34 (a) (2)
Description: Containers of waste not dated.
Item: Same as #4 above.
Action Taken: Same as #4 above.
Schedule: Same as #4 above.
- 6) Citation Number: 40 CFR 265.32 (c)
Description: Inadequate spill control.
Item: Need to set up a station where an employee can obtain the products and items necessary to control and clean-up a Hazardous Waste spill.
Action Taken:
a. We have purchased - Oil Dry to absorb any spill.
b. We have purchased - Slikwik Sorbents to contain any spills.
c. We have painted a 55 gallon drum red, and labeled the drum "Spill Control".
d. Employees have been informed how to handle Spill Control.
e. Red 55 gallon drum will be easy to see, and placed in area where spills are most likely to occur in our shop.
Schedule: Completion 8-20-93.

We are submitting this written report within the 15 day limit to respond. All of the above action has been taken so we will be in compliance. We have made a commitment to handle any hazardous waste we generate in a proper manner.

Yours truly,

EDWARD SIMON PAINTING COMPANY


Randal F. Freese,
President

Attachments: MSDS - For: A-H Armortop, Receipt Sal.Army F R, Material Survey Report #312033.

NOTE: Lab report from Material Survey Report will be sent when we receive a copy.

Copy to: St. Louis Regional Office (DNR) (Attn: Doris E. Mann)

EDWARD SIMON Painting Co.

7220 MURDOCH AVENUE
P.O. BOX 190369
SHREWSBURY, MISSOURI 63119-6369
FAX 314-647-0529 314-647-4031



RECEIPT

Received From: EDWARD SIMON PAINTING COMPANY

Item: Armortop Floor Sealer Concrete Hardener

Quantity: 10 - 5 gallon containers

(Note: Material Safety Data Sheet for this product is attached)

Charge for items received: NO CHARGE

Receiver Information:

Received by: SALVATION ARMY/FLOOD RELIEF

Address: 139 Victor - St. Louis, Missouri

Signed by: Carl Stoffer
(Individual)

Date Received: 8-19-93

AUG 23 '93

Route:

ADMU	APCU
HWMU	SWMU
VP-SURV	WP-PRMT
PDWP	ISMM
Copies to:	

0 13:41
ANTI HYDRO

International, Inc.
265 BADGER AVENUE, NEWARK, NEW JERSEY 07108



FAX TRANSMITTAL

TO:

COMPANY: EDWARD SIMON COMPANY
ATTENTION: RUITH
FAX NUMBER: 314-647-0529
FROM: DONA
DATE: 8/5/93 TIME: 1:30 PM

THIS IS PAGE 1 OF 3 PAGE(S).

St. Louis Regional Office
Received

MEMO:

AUG 23 '93

IF YOU DID NOT RECEIVE ALL SHEETS AS NOTED ABOVE, OR HAVE ANY QUESTIONS REGARDING THIS TRANSMITTAL, PLEASE PHONE THE ANTI HYDRO COMPANY IMMEDIATELY AT 1(800)777-1773.

- * WATERPROOFING MATERIALS
- * FLOOR HARDENERS
- * NON-SLIP AGGREGATES
- * CURING COMPOUNDS
- * EPOXIES

- * ADMIXTURES
- * GROUTS
- * BONDING AGENTS
- * SEALERS
- * PATCHING MATERIALS

★ SERVICE ★

MATERIAL SAFETY DATA SHEET

(Design to comply with the OSHA Hazard Communication Standard 29CFR 1910.1200)

For: A-H ARMORTOP

HMIS:

Health-2 Flammability-0 Reactivity-0

(0-Minimal, 1-Slight, 2-Moderate, 3-Serious, 4-Severe)

Date Issued/Revised: 8/1/93

ANTI HYDRO INTERNATIONAL, INC.

265 Badger Avenue

Newark, New Jersey 07108

Emergency Phone numbers:

(201) 242-8000

(800) 424-9300 (CHEMTREC)

Page 1 of 2

I IDENTIFICATION AND PHYSICAL DATA

Product Name: A-H ARMORTOP

Product Code: ATP550, 050, 010

Generic Name: Cement Curing, Hardening Compound/
Mixture silicic acid, sodium salt

D.O.T. Hazard Class: N/A

D.O.T. Shipping Name: Cement admixture

D.O.T. UN Number: N/A

Appearance/Odor: Colorless, turbid liquid/ Non to slight
soapy odor, PH-10.5 to 11

VOC compliant? Complies

Boiling Point: Approx. 214 to 216° F

Melting Point: N/A

Specific Gravity (H₂O=1): Approx. 1.14

Vapor Pressure (mm Hg.): N/A

Vapor Density (Air=1): N/A

Evaporation Rate (Butyl Acetate=1): N/A

Solubility in Water: 100%

II HAZARDOUS INGREDIENTS

DESCRIPTION	CAS #	OSHA PEL	ACGIH TLV	% OTHER
Sodium Silicate Liquid-Grade 42	1344-09-8	Not established	Not Established	

Unlisted ingredients are not "Hazardous" per the OSHA Hazard Communication Standard 29CFR 1910.1200.

III FIRE AND EXPLOSION HAZARD DATA

Flash Point: N/A

Method Used: N/A

Flammable Limits (in Air % by Vol)-LEL (Lower): N/A

UEL (Upper): N/A

Extinguishing Media: Material is non combustible. Water spray, dry chemical, CO₂, or foam may be used.

Unusual Fire & Explosion Hazards: N/A

Special Fire Fighting Procedures: Protective clothing for skin and eye protection should be worn.

IV REACTIVITY DATA

Stability: Stable

Condition to Avoid: None

Materials to Avoid: Material is alkaline and gels when mixed with acids.

Hazardous Polymerization: Will not occur

Condition to Avoid: None

Hazardous Decomposition Products: None

V SPILL OR LEAK PROCEDURES

Call CHEMTREC at (800) 424-9300 in Cont. U.S.A.

Steps to be Taken in Case Material is Released or Spilled:

Contain liquids, remove to proper container, remove to proper chemical waste area in accordance with local state and federal regulation, prevent discharge to streams or sewer systems. Neutralize residue with dilute acid. Wear proper protective clothing and equipment.

Waste Disposal Method:

Dispose off in accordance with local, state, and federal regulations.

To the best of our knowledge, the information contained herein is accurate. However Anti Hydro International, Inc. does not assume liability whatsoever for the accuracy or completeness of information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazard and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This notification may not be detached from the MSDS. Any copying and redistribution of the MSDS shall also include copying and redistribution of this notice.

MATERIAL SAFETY DATA SHEET**ANTI HYDRO INTERNATIONAL, INC.**

For: A-H ARMORTOP

Page 2 of 2

VI EMERGENCY AND FIRST AID PROCEDURES**SEEK MEDICAL ATTENTION IMMEDIATELY****Eye Contact:**

Immediately flush eyes with plenty of water for at least 15 minutes.

Skin Contact:

Wash exposed skin thoroughly with cool water for at least 15 minutes.

Inhalation (Breathing):

If vapor or spray mist inhaled, remove to fresh air. If breathing is difficult or stops get prompt medical attention.

Ingestion (Swallowing):

DO NOT induce vomiting. Give large quantities of water. Give several glasses of milk. Never give anything by mouth to an unconscious person.

SEEK MEDICAL ATTENTION IMMEDIATELY**VII HEALTH HAZARD/ROUTES OF ENTRY****Eye Contact:**

May cause irritation with pain, redness and tearing.

Skin Contact:

May cause irritation to the skin.

Inhalation (Breathing):

Mist or spray may cause coughing, sneezing, or other symptoms of upper respiratory tract irritation.

Ingestion (Swallowing):

May cause irritation to mucous membranes of mouth, throat, esophagus and stomach.

Carcinogenicity- NTP? No

IARC Monographs? No

OSHA Regulated? No

Comments:

Product is an alkaline solution. Acute oral toxicity- LD50 (rat) 2000-3000 mg/kg.

VIII STORAGE AND SPECIAL PROTECTION INFORMATION**Storage Precautions:**

Store under normal conditions, keep dry and away from heat. Do not store in aluminum containers as flammable hydrogen gas can be generated, do not use aluminum fitting or transfer lines, avoid contacts with acids as gelling and some heat evolution can occur.

Respiratory Protection:

For dusty or misty conditions, wear a properly fitted NIOSH/MSHA approved dust or mist respirator.

Ventilation:

Mechanical/Local Exhaust- When dusty or misty conditions exist.

Protective Gloves:

For operations where contact can occur, wear impervious gloves (Rubber/Neoprene).

Eye Protection:

Chemical splash goggles or safety glasses recommended.

Other Protective Measures:

Boots, long sleeve shirt and trousers recommended. Impervious clothing if required.

Special Precautions:

To the best of our knowledge, the information contained herein is accurate. However Anti Hydro International, Inc. does not assume liability whatsoever for the accuracy or completeness of information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown health hazard and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This notification may not be detached from the MSDS. Any copying and redistribution of the MSDS shall also include copying and redistribution of this notice.

FLUID RECOVERY SERVICE

DUNS NO. 05106-0408

FED. ID 89-6090019

P89842

GENERATOR/LOCATION

BILL TO (IF DIFFERENT FROM LOCATION)

NAME DUMON PAI WTING		NAME	
DELIVERY ADDRESS 7220 MURDOCH AVE		DELIVERY ADDRESS	
INFORMATION/ATTENTION LINE PO BOX 190369		INFORMATION/ATTENTION LINE	
CITY & STATE SHREWSBURY MO		CITY & STATE	
ZIP 63119-6369	TAX CODE	ZIP	TAX CODE
USA EPA ID NO.	STATE ID NO.	USA EPA ID NO.	STATE ID NO.

DATE PLACED 8-10-93	SERIAL NO. 020-88888	BRANCH 5-10-03	TYPE OF OUTLET 09	CUSTOMER NO.
PLACEMENT INFORMATION				
SALES REP. NO. 9198	BLITZ CODE	PROD. TAX %	CHAIN	SVC P/S
CUSTOMER'S P.O. NUMBER <input type="checkbox"/> BLANKET <input type="checkbox"/> TEMPORARY	SALES TAX EXEMPTION NO.	GENERATOR/CUSTOMER TELEPHONE NUMBER 314 -	SPECIAL HANDLING	CREDIT CODE

WASTE DESCRIPTION	DRUMS/YEAR	COST/DRUM

The Service Estimate on this Placement Form is based on the Customer's description of its waste materials. The estimate is not binding upon Safety-Kleen Corp. and is subject to change by Safety-Kleen Corp. Upon Safety-Kleen Corp.'s completion of its analysis of the Customer's waste materials, Safety-Kleen Corp. will deliver to the Customer its Waste Handling Agreement with a firm and binding service fee.

[Signature]
SALES REPRESENTATIVE

PRODUCT SALES SECTION							
PRODUCT NUMBER	DESCRIPTION	FEE	UNIT OF MEASURE	QUANTITY DELIVERED	TOTAL FEE	TAX	LINE TOTAL
82100	analysis	445.00	@	1	445.00	-	445.00

PAYMENT RECEIVED SECTION		TOTAL SAMPLE FEE (INCLUDING TAX) 445.00	
CASH <input type="checkbox"/>	TOTAL RECEIVED	CHARGE MY ACCOUNT FOR THIS TRANSACTION UNLESS OTHERWISE INDICATED IN THE PAYMENT RECEIVED SECTION. ALSO, I HAVE NOTED THE PRESENCE OF ADDITIONAL TERMS AND CONDITIONS ON THE REVERSE SIDE	
CHECK NUMBER	APPLY PAYMENT TO:	GENERATOR/CUSTOMER SIGNATURE <i>[Signature]</i> Ruth H. Harts	
	<input type="checkbox"/> TODAY'S SERVICE/SALE		
	<input type="checkbox"/> PREVIOUS BALANCE AS FOLLOWS		
INV. #	AMOUNT \$		
INV. #	AMOUNT \$		
INV. #	AMOUNT \$		

Must Be Completed With Material Survey Instructions

The Material Survey has been specifically designed to provide Safety-Kleen with information necessary to transport, recycle, treat, store, and/or dispose of your material in full compliance with state and federal regulations.

A separate survey is required for each material. A revised Survey must be submitted whenever: (1) there is a change in the characteristics; of the material or a change in process which might result in change in material characteristics; (2) there is a change in state or federal regulations which change the regulated status of the material or any constituents; or, (3) Safety-Kleen Corp. requests that information be updated. The Survey must be submitted to the appropriate Safety-Kleen laboratory along with a sample and approved through Safety-Kleen's internal review process. No material can be received at any Safety-Kleen facility unless specifically authorized by an approved Survey and Safety-Kleen Prequalification.

A representative quart sample of the material must be submitted with each Survey. Proper sampling methods may be found in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods," EPA publication SW-846. The sample must be packaged in a plastic-coated bottle with a teflon-lined lid, labeled and shipped in accordance with the provisions of 40 CFR 261.3 (d)(2) and applicable US DOT and transporter regulations. The label provided with the Survey must be completed, signed and attached to the sample container.

When the Survey is completed, remove the generator copy and keep the Material Survey Instructions for your records. Return the original Survey to the appropriate Safety-Kleen laboratory listed in the Material Survey Instructions.

MAKE SURE THAT LABEL AND SURVEY ARE FILLED OUT CORRECTLY AND LABEL IS APPLIED TO SAMPLE CONTAINER. SAMPLE CONTAINER MUST BE CLEAN BEFORE APPLYING LABEL. MAKE SURE THAT SAMPLE AND SURVEY ARE SUBMITTED TOGETHER.

ANSWERS MUST BE PROVIDED FOR ALL QUESTIONS AND ITEMS ON THE MATERIAL SURVEY. Print (pen only) or type the answer (or check boxes) so that all pages are legible. If additional information is submitted to complete an answer, indicate on the form that there are attachments (see section E).

Check The Safety-Kleen Program Which Will Handle The Material.

The SK Branches Have The Following Programs:

FRS	-Fluid Recovery Service
PC	-Parts Cleaner
IC	-Immersion Cleaner
SKOS	-Safety-Kleen Oil Services
DC	-Dry Cleaner
PR	-Paint Refinishing
QC	-Quality Check for Branch products and solvents
—	Check blank box for other services and explain.

Other Services Are Offered:

BRES	-Breslube USA, Breslube Canada, Petrocon, and Safety-Kleen Oil Services, Inc. have programs for oil recycling ONLY for their sales representatives and customers.
DISP	-Safety-Kleen Envirosystems of Puerto Rico has a program of off-site disposal of lab-packs and similar wastes.
TSVC	-Safety Kleen Technical Services use only.

SK Envirosystems Has The Following Programs:

SUBSTITUTE FUEL	-Material for energy recovery as fuel
SOLVENT RECOVERY	-Solvent recovery and sale to industry
TOLLING OF SOLVENT	-Solvent recovery and return to generator
PRODUCT	-Quality Check for Envirosystems solvent

For other programs, check blank box and explain.

MATERIAL SURVEY

Branch Services
☒ FRS ☐ DC
☐ PC ☐ PR
☐ IC ☐ QC
☐ SKOS ☐ _____
 Other Services
☐ BRES ☐ DISP ☐ TSVC ☐ _____

Envirosystems
☐ Substitute Fuel
☐ Solvent Recovery
☐ Tolling of Solvent
☐ Product

312032

SK USE ONLY

Control No. _____

Lab No. _____

A Generator Name SIMON PAINTING CO. SK Customer No. 5-160-03

Nature of Business PAINT S.I.C. No. _____

ID Numbers: Federal EPA _____ IL _____ MO _____ State _____ ID _____

Status: ☐ Large Quantity Generator (LQG) ☒ Small Quantity Generator (SQG) ☐ Conditionally Exempt Small Quantity Generator (CESQG)

B Facility Street Address (No P.O. Boxes) ☒ Manifest Address Billing Name & Address (If Different) ☐ Manifest Address

2220 MURDOCH AVE

City SHELLESBURY State MD Zip 21159-6369

State Zip

C General Description of Material PAINT REL.

Process Description OLD EXCESS

Generation Amount 33 Gallons

Per: ☐ Week ☐ Month ☐ Quarter ☒ Year ☐ One Time Only

Gallons On Hand 1 ☒ Drums ☐ Bulk

Shipping Schedule ☐ Drums ☐ Bulk

Physical Description: Color: MULTI

Percent Solids that Could Not be Sampled _____

pH Range ☒ 4 - 10 ☐ < = 2.0 ☐ > = 12.5

Layers or Phases ☒ One ☐ Two ☐ Three

Physical State ☐ Liquid ☐ Paste ☒ Solid

Liquid Viscosity ☐ Low ☐ Medium ☒ High

D Material Composition ☐ Vol % ☐ Wt % Max Typical

PAINT PIGMENT 100%

NAPHTH TRACE

TOTAL (Typical should not exceed 100%) 100 %

E Attach material safety data sheets (MSDS) for material components and any current EP Toxic, TCLP, or other analysis of the material.

☐ MSDS attached ☐ EP Toxic analysis attached ☐ TCLP analysis attached ☐ Other Analysis attached ☒ No attachments

F Check all of the following restricted, prohibited, or special substances which may be in the material. MUST BE COMPLETED!

- ☐ DOT Corrosives, Poisons, Radioactives, Explosives, Oxidizers, Peroxides, Gases, or materials forbidden from transport.
- ☐ TSCA regulated materials, Chlorinated biphenyls (PCB), Brominated biphenyls (PBB), Chlorinated dibenzodioxins or furans.
- ☐ Materials used as pesticides, herbicides, insecticides or materials which are by-products of pesticide manufacture.
- ☐ Human carcinogens above exclusion levels as defined by OSHA (Ref. 29 CFR 1910.1001-) or MSHA Class 1, 2, or 4 Carcinogens.
- ☐ Toxic components with Oral LD50 less than 50 mg/kg or exposure limits (OSHA PEL or ACGIH TLV) less than 2 ppm or 8 mg/m³.
- ☐ Toxic metals (Arsenic, Barium, Beryllium, Cadmium, Chromium, Lead, Mercury, Nickel, Selenium, Silver, Thallium).
- ☐ Reactive components (Sulfides, Cyanides, Shock sensitive materials, Pyrophoric compounds, Oxidizers, Peroxides).
- ☐ Water- or amine-reactive components (such as unreacted Isocyanate monomers and resins, Acid chlorides, Anhydrides, Epoxides).
- ☐ Biological hazards (such as Pathogenic materials, Infectious agents, Etiologic agents, USEPA Medical Waste, Drugs, Antibiotics).

Identify substance and concentration _____ ☒ NONE OF THE ABOVE

G DOT Hazardous Material Description

☐ Reportable Quantity (Lbs) ☐ 5000 ☐ 1000 ☐ 100 ☐ 10 ☐ 1

Proper Shipping Name _____

Hazard Class _____ UN/NA Number _____ P.G. _____ ☐ Not DOT Hazardous Material ☒ Not sure

SK USE ONLY ☐ Accepted for Analysis ☐ Accepted Conditionally ☐ Suspended for More Information ☐ Rejected

Comments _____

Safety Evaluated By _____ Date _____

GENERATOR

MATERIAL A RCRA "HAZARDOUS WASTE"? (Ref. 40 CFR 261)

CHECK ONE BOX ON LEFT

For hazardous wastes, if waste is a "listed" waste, such as "spent solvent" (F001-5), then show the applicable EPA Waste Codes:

☐ F001 ☐ F002 ☐ F003 ☐ F004 ☐ F005 * ☐ F006 ☐ K086 Other, specify _____ ☒ Not Applicable

* For F005 wastes, is waste "listed" due to spent solvents 2-ethoxyethanol (ethylene glycol ethyl ether) or 2-nitropropane? ☐ Yes ☒ No

For all hazardous wastes, the generator must determine if waste exhibits a characteristic of a hazardous waste, either based on knowledge or testing. Based on this determination, show all applicable EPA Waste Codes. (See Reference Table on back page)

☒ D001 ☐ D002 ☐ D003 ☐ D004 ☐ D005 ☐ D006 ☐ D007 ☐ D008 ☐ D009 ☐ D010 ☐ D011

☐ Not Applicable

Based on Land Disposal Restrictions, does waste have a technology-based treatment standard? (Ref. 40 CFR 268) ☒ Not sure ☐ Yes ☐ No

If yes, then show all applicable technology codes: ☐ DEACT ☐ RORGS ☒ ESUBS ☐ INCIN Other, specify _____

1. Is this material exempt from waste regulations under RCRA (i.e., not a "solid waste")? (Ref. 40 CFR 261) ☐ Yes (Skip to 5) ☐ No

2. Is this waste an "used oil" (used petroleum oil) for fuel or recovery, not disposal? (Ref. 40 CFR 266 Subpart E) ☐ Yes (Skip to 5) ☐ No

3. Is this waste exempt from regulation as a hazardous waste? If yes, explain why in Comments. ☐ Yes (Skip to 5) ☐ No

4. For all other "non-hazardous" wastes, submit survey with Toxicity Characteristic Leaching Procedure (TCLP) analysis results. If TCLP analysis is not available, then contact a Safety-Kleen representative about obtaining this analysis.

5. All generators of unregulated material, "used oil", exempt waste, or "non-hazardous" waste must sign this statement:

Generator warrants and represents that the materials provided Safety-Kleen Corp. and its subsidiaries hereunder are not RCRA hazardous wastes and have not been mixed, combined, or otherwise blended in any quantity with materials defined as a hazardous waste under 40 CFR Part 261.

Signature X

Date _____

6. List all applicable State Waste Codes required by generating facility state: _____ ☐ None required ☐ Not sure

Show SK Codes for all regulated chemicals listed in the Reference Table on the back page which can be present in material, even in trace amounts.

☒

NOT SURE

☐ None present ☒ Not sure

Are any of these chemicals used as solvents? ☐ Yes ☒ No Are these solvents used to remove oil, grease, or wax? ☐ Yes ☒ No

I Safety-Kleen Corp. requires a representative sample and charges a fee for the prequalification of all new material. P.O. No. _____

Type of sample: ☐ From Line ☐ From Tank ☒ Composite of 1 drums Sample taken by ☐ Customer ☒ Safety-Kleen Representative

J Generator Certification (Not a waste handling agreement):

On behalf of the Generator, I hereby warrant, represent, and certify that: all information submitted in this document is true, accurate, and complete; all known or suspected hazards have been disclosed; and, I am a duly authorized employee of the Generator.

Generator agrees to indemnify and hold Safety-Kleen Corp. and its subsidiaries harmless for any claims, liabilities, damages, and costs including, but not limited to, attorney's fees, arising out of or in any way related to breach of the above warranty by the Generator.

Name X Ruth H. Harte

Title X Office Manager

Signature X Ruth H. Harte

Date 8-10-93 Phone (314) 647-4031

Comments _____

Sales Representative Name [Signature] Number 9198 Branch No. 58003

SK USE ONLY ☐ Sample leaked in transit ☐ Survey number did not match sample label ☐ Survey information incomplete

Sample Received _____ Completed Survey Received _____ Survey Logged _____

Comments _____

Analysis Entered By _____ Date _____ Data Verified By _____ Date _____

Safety-Kleen Chemical Material Survey Reference

CHEMICAL NAME	OTHER NAMES & USES	WASTE CODES		SK CODES
		CHARACTERISTIC	LISTED	
NON-CHLORINATED SOLVENTS				
Acetone	Thinner, Paint		F003	ACE
Benzene *	Gasoline, Petroleum products	D018	F005	BENZ
Butyl Alcohol, iso-	Isobutanol, 2-methylpropanol		F005	IBA
Butyl Alcohol, n-	1-Butanol		F003	NBA
Carbon Disulfide *	Laboratory solvent		F005	CS2
Cresol, meta- *	Cresylic acid	D024	F004	CSLM
Cresol, ortho- *	Cresylic acid	D023	F004	CSLO
Cresol, para- *	Cresylic acid	D025	F004	CSLP
Cresols (mixture) *	Cresylic acid, Cold Parts Cleaner, Enamels	D026	F004	CSLS
Cyclohexanone	Cyclohexyl Ketone, Ink solvent		F003	CHK
Dinitrotoluene, 2, 4- *		D030		DNT
Ethyl Acetate	Acetic acid ethyl ester		F003	ETAC
Ethyl Ether *	Laboratory solvent		F003	ETE
Ethylbenzene	Part of commercial xylenes		F003	ETB
Ethylene Glycol Ethyl Ether *	2-Ethoxyethanol, Glycol Ether EE, Paint		F005	EGEE
Methanol	Methyl alcohol, Wood alcohol		F003	MEOH
Methyl Ethyl Ketone	2-Butanone, MEK, Paint, Thinner	D035	F005	MEK
Methyl Isobutyl Ketone	MIBK, Thinner, Paint		F003	MIBK
Nitrobenzene *		D036	F004	NB
Nitropropane, 2- *	Paint		F005	NP2
Pyridine *	Laboratory solvent	D038	F005	PYR
Toluene	Thinner, Paint, Glue		F005	TOL
Xylene	Dimethylbenzenes, Thinner, Paint		F003	XYLS
CHLORINATED SOLVENTS				
Carbon Tetrachloride *		D019	F001	CCL4
Chlorinated Fluorocarbon *	Freon, CFC, Racon		F002	CFC
Chlorobenzene	Monochlorobenzene	D021	F002	MCB
Chloroform *	Laboratory solvent	D022		CHCL
Dichlorobenzene, ortho-	1, 2-Dichlorobenzene, ODCB		F002	ODCB
Ethylene Dichloride *	1, 2-Dichloroethane, Laboratory solvent	D028		EDC
Methylene Chloride *	Dichloromethane, Paint stripper		F001/2	MECL
Perchloroethylene	Tetrachloroethylene, "Perc", Dry Cleaning	D039	F001/2	PERC
Trichloroethane, 1, 1, 1-	Methyl Chloroform, "Trichlor", Degreasing		F001/2	111
Trichloroethane 1, 1, 2- *			F002	112
Trichloroethylene	Trichloroethene, "Trichlor", Degreasing	D040	F001/2	TCE
Trichlorofluoromethane *	MF, CFC 11, Blowing agent, Refrigerant		F001/2	FMF
Trichlorotrifluoroethane	TF, CFC 113, Solvent F, Degreasing		F001/2	FTF
OTHER CHLORINATED COMPOUNDS				
Chlorinated Biphenyls *	PCB, Transformer Fluid, Capacitors		TSCA	PCB
Dichlorobenzene, para-	1, 4-Dichlorobenzene, Component of ODCB	D027		PDCB
Hexachlorobenzene		D032		HCB
Hexachlorobutadiene *		D033		HCBd
Hexachloroethane *		D034		HCE
Trichlorophenol, 2, 4, 5-		D041		TCP5
Trichlorophenol, 2, 4, 6-		D042		TCP6
Vinyl Chloride *	Monomer	D043		VC
Vinylidene Dichloride *	1, 1-Dichloroethene, Monomer, 111 impurity	D029		VDC
METALS *				
Arsenic *	Wood treatment	D004		AS
Barium *	Pigment	D005		BA
Cadmium *	Pigment	D006		CD
Chromium III *	Pigment	D007		CR3
Chromium VI *	Chromate, Pigment	D007		CR6
Lead *	Solder, Lead Batteries	D008		PB
Mercury *		D009		MERC
Nickel *			CA List	NI
Selenium *	Steel	D010		SE
Silver *		D011		AG
Thallium *			CA List	TL
PESTICIDES *				
Acetic Acid, (2, 4-Dichlorophenoxy)- *	2, 4-D	D016		D24
Chlordane *	Termite Control	D020		CLDN
Endrin *		D012		EDRN
Heptachlor (and its hydroxide) *		D031		HPTC
Lindane *	Benzene Hexachloride, BHC	D013		LNDN
Methoxychlor *		D014		MTXC
Pentachlorophenol *	"Penta", PCP, Wood Treatment	D037		PCP
Silvex *	2, 4, 5-TP	D017		SLVX
Toxaphene *		D015		TXPN

* Safety-Kleen restricts the handling of these chemicals. Contact an SK representative to determine restrictions.

ATTACHMENT 1



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM
SMALL QUANTITY GENERATOR
INSPECTION RECORD AND CHECKLIST

S

SQG-INSP.

ONLY FOR FACILITIES THAT GENERATE/ACCUMULATE < 1000 Kg (2,200 lbs. or approximately, 5 drums)

NAME <i>Edward Simon Painting Co.</i>		DATE <i>8/4/93</i>	EPA I.D. NUMBER <i>MO D985799584</i>
ADDRESS <i>7220 Murdoch Ave</i>		RR NO. —	MO I.D. NUMBER <i>014923</i>
CITY <i>St. Louis</i>	NUMBER OF EMPLOYEES <i>50</i>	YEARS AT SITE <i>36 yrs.</i>	TELEPHONE NUMBER <i>647-4031</i>

FACILITY REPRESENTATIVE(S) TITLE(S)

Ruth Harte, Office Manager

DESCRIPTION OF THE FACILITY'S OPERATIONS AND PLANT

See Report

WASTE STREAMS

DESCRIBE EACH WASTE STREAM GENERATED INCLUDING THE PRODUCTION PROCESS	GENERATION RATE	EPA ID NUMBER	DISPOSITION
1. <i>See Report</i>			
2.			
3.			
4.			
5.			

CHECK ALL THAT APPLY (Specify if possible)

<input type="checkbox"/> NPDES Permit	<input type="checkbox"/> Lead/Acid Batteries	<input type="checkbox"/> POTW _____
<input type="checkbox"/> Septic Tank	<input type="checkbox"/> H.W. Burner/Blender/Marketer	<input type="checkbox"/> Solid Waste Landfill _____
<input type="checkbox"/> Air Permit	<input type="checkbox"/> Precious Metal Reclamation	<input type="checkbox"/> Waste Water Pretreatment _____

A. GENERAL			
1	<input checked="" type="checkbox"/> Registered as a HW Generator - Section 260.380.1 (1) RSMo and 10 CSR 25-5.262 (2)(A)	GGR	COMMENTS 1-55 gal drum of floor sealer? 10yrs old - not sure of use, drum in poor condition Waste Paint Rel. Matl - unknown exact specifics
2	<input checked="" type="checkbox"/> Facility determines if waste is hazardous - 10 CSR 25-5.262(1) incorporating 40 CFR 262.11	GGR	
3	<input checked="" type="checkbox"/> Utilizes a licensed hazardous waste transporter - Section 260.380.1 (5) RSMo	GGR	
4	<input checked="" type="checkbox"/> Utilizes authorized HW TSD or RR facility - Section 260.380.1(7) RSMo	GGR	
5	<input checked="" type="checkbox"/> Facility does not operate as a TSD - Section 260.390(1) RSMo	GGR	

PART 1: WALK-THROUGH INSPECTION

B. PRETRANSPORT, CONTAINERIZATION & STORAGE			
1	<input checked="" type="checkbox"/> Storage does not exceed 180 days (270 days if transported > 200 miles) - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(e)	GSQ	COMMENTS 3-55 gal drums of waste paint rel sludge 3-55 gal drums 1-20 gal drum w/funnel in opening 6-5 gal buckets of waste solvent 3-55 gal drums of sludge All haz waste containers
2	<input checked="" type="checkbox"/> Containers in good condition - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.171	GPT	
3	<input checked="" type="checkbox"/> Waste compatible with container - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.172	GPT	
4	<input checked="" type="checkbox"/> Containers closed in storage - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.173(a)	GPT	
5	<input checked="" type="checkbox"/> Containers storing incompatible waste separated or protected from each other by a dike, berm or wall - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(2) referencing 40 CFR 265.177(c)	GPT	
6	<input checked="" type="checkbox"/> Containers of ignitable or reactive waste stored > 50 ft. from property line (or meet requirements) - 10 CSR 25-5.262 (2)(C)5. referencing 40 CFR 265.176 as amended by 10 CSR 25-7.265 (2)(I)3.	GOR	
7	<input checked="" type="checkbox"/> Waste packaged/labeled/marked per DOT during entire on-site storage period - 10 CSR 25-5.262 (2)(C)1.	GOR	
8	<input checked="" type="checkbox"/> Date of accumulation marked on containers - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 262.34(a)(2)	GPT	
9	<input checked="" type="checkbox"/> Containers protected from contact with accumulated liquids - 10 CSR 25-5.262(2)(C)2.B.(II)	GOR	
10	<input checked="" type="checkbox"/> Containers clearly marked "hazardous waste" - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 262.34(a)(3)	GPT	
11	<input checked="" type="checkbox"/> Facility inspected and maintained (weekly) - 10 CSR 25-5.262(2)(C)2.A.(II)	GPT	
12	<input checked="" type="checkbox"/> Daily inspection of areas subject to spills, ie. waste handling areas - 10 CSR 25-5.262(2)(C)2.A.(II)	GOR	
13	<input checked="" type="checkbox"/> Adequate aisle space is available - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.35	GPT	
14	<input checked="" type="checkbox"/> Placards available for transporter - 10 CSR 25-5.262(1) incorporating 40 CFR 262.33	GPT	
15	<input checked="" type="checkbox"/> "No Smoking" signs conspicuously placed by ignitable or reactive wastes - 10 CSR 25-5.262(2)(C)2.D.(II)	GOR	
16	<input checked="" type="checkbox"/> Waste oil containers in good condition, labeled and closed - 10 CSR 25-11.010(3)(C)	GOR	

C. SATELLITE ACCUMULATION			
1	<input checked="" type="checkbox"/> Containers kept closed - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.173	GPT	COMMENTS
2	<input checked="" type="checkbox"/> Containers in good condition - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.171	GPT	
3	<input checked="" type="checkbox"/> Waste compatible with container - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)(i) referencing 40 CFR 265.172	GPT	
4	<input checked="" type="checkbox"/> Quantities accumulated not exceeding 55 gal. (1 quart of acutely-hazardous wastes) - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)(1)	GPT	
5	<input checked="" type="checkbox"/> Satellite containers go to storage within 3 days of filling - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(c)3.	GPT	
6	<input checked="" type="checkbox"/> Container marked identifying contents & beginning date - 10 CSR 25-5.262(2)(C)3.	GOR	

7. <input type="checkbox"/> Stored in satellite areas less than 1 year - 10 CSR 25-5.262(2)(C)3.	GOR	COMMENTS		
D. PREPAREDNESS AND PREVENTION AND EMERGENCY PROCEDURES				
1. <input checked="" type="checkbox"/> Facility operated and maintained to minimize the possibility of an emergency - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.31	GPT		COMMENTS	
2. <input checked="" type="checkbox"/> Adequate and proper spill control, decontamination and safety equipment available (fire blankets, respirators, SCBA, absorbents, etc.) and properly tested and maintained - 10 CSR 25-5.262 (1) incorporating 40 CFR 262.34 (d)(4) referencing 40 CFR 265 Subpart C.	GPT			
3. <input checked="" type="checkbox"/> Adequate water supply and fire control equipment - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.32(d)	GPT			
4. <input checked="" type="checkbox"/> Communication and emergency equipment tested and maintained - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.33	GPT			
5. <input checked="" type="checkbox"/> Emergency coordinator's name and phone number posted near phone - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(ii)	GSQ			
6. <input checked="" type="checkbox"/> Telephone number of fire department posted near phone - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(ii)	GSQ			
7. <input checked="" type="checkbox"/> Location of fire extinguisher and spill control equipment posted near phone - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(ii)	GSQ			
8. <input checked="" type="checkbox"/> Employees familiar with waste handling and emergency procedures - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(iii)	GSQ			
9. <input checked="" type="checkbox"/> Device in the hazardous waste operation area capable of summoning emergency assistance - 10 CSR 25-5.262 (1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.34(a)	GPT			
10. <input checked="" type="checkbox"/> Telephone or two-way radio onsite and capable of summoning local fire or police dept. - 10 CSR 25-5.262 (1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.32(b)	GPT			
E. SQG TANKS				
TANK DESIGNATION	CONTENTS	CAPACITY	CONTAINMENT	AGE
1. NA				
2.				
3.				
1. <input type="checkbox"/> Uncovered tanks have 2 ft. freeboard or containment system - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(3) referencing 40 CFR 265.201(b)(3)	GPT	COMMENTS		
2. <input type="checkbox"/> Continuously fed tanks equipped with a feed cut-off system or a proper by-pass system - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(3) referencing 40 CFR 265.201(b)(4)	GPT			
3. <input type="checkbox"/> Waste and/or treatment method is compatible with tank - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(3) referencing 40 CFR 265.201(b)(2)	GPT			
4. <input type="checkbox"/> Incompatible wastes not placed in same tank - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(3) referencing 40 CFR 265.201(f)	GPT			
5. <input type="checkbox"/> Ignitable or reactive wastes rendered safe/protected from sources of ignition or reaction - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(3) referencing 40 CFR 265.201(e)(1)	GPT			
6. <input type="checkbox"/> Ignitable or reactive wastes in covered tanks treated/stored in accordance with NFPA's buffer zone requirements - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(3) referencing 40 CFR 265.201(e)(2)	GPT			
7. <input type="checkbox"/> Volatiles with vapor pressure > 78 mm Hg @ 25° C not placed in open tanks - 10 CSR 25-5.262(2)(C)2.D.(i)	GOR			
8. <input type="checkbox"/> Wastes and residues removed from tank and equipment, and handled properly upon closure - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(3) referencing 40 CFR 265.201(d)	GPT			
9. <input type="checkbox"/> Tanks are clearly labeled or marked "Hazardous Waste" - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 262.34(a)(3).	GPT			

10. <input type="checkbox"/> Inspection of waste feed cut off, bypass system, monitoring data and freeboard each operating day - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(3) referencing 40 CFR 265.201(c)	GPT	COMMENTS
11. <input type="checkbox"/> Weekly inspection of confinement structure, construction materials and general area for leaks, corrosion or discharges - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(3) referencing 40 CFR 265.201(c)5	GPT	
12. <input type="checkbox"/> Waste oil tanks in good condition, labeled and closed - 10 CSR 25-11.010(3)(C)	GOR	

PART 2: RECORDS INSPECTION

F. MANIFESTS

1. <input checked="" type="checkbox"/> Facility uses manifest system or wastes reclaimed under contractual agreement - 260.380.1(6) RSMo, and 10 CSR 25-5.262(2)(B)	GMR	COMMENTS
2. <input type="checkbox"/> Generator maintains a copy of the contractual agreement on-site - 10 CSR 25-5.262(1) incorporating 40 CFR 262.20(e)(2)	GMR	
3. <input checked="" type="checkbox"/> Records maintained for a 3-year period - 10 CSR 25-5.262(1) incorporating 40 CFR 262.40(a)	GRR	
4. <input checked="" type="checkbox"/> Generator's MO & EPA I.D. Numbers - 10 CSR 25-5.262(2)(B)	GOR	
5. <input checked="" type="checkbox"/> Manifest document, ID and consecutive shipment numbers - 10 CSR 25-5.262(2)(B)2.A	GOR	
6. <input checked="" type="checkbox"/> Generator's name, address and phone number - 10 CSR 25-5.262(2)(B)1.	GMR	
7. <input checked="" type="checkbox"/> All transporters' names, phone numbers, license plate #s, MO & EPA I.D.#'s - 10 CSR 25-5.262(2)(B)2.	GMR	
8. <input checked="" type="checkbox"/> Designated facility name, address, phone, MO & EPA I.D. #, - 10 CSR 25-5.262(2)(B)1.	GMR	
9. <input checked="" type="checkbox"/> DOT shipping name, Hazard Class and waste I.D. # (RQ - if required) - 10 CSR 25-5.262(2)(B)2.	GMR	
10. <input checked="" type="checkbox"/> Containers, quantity and specific gravity designated - 10 CSR 25-5.262(2)(B)2.	GMR	
11. <input checked="" type="checkbox"/> Manifest signed and dated - 10 CSR 25-5.262(2)(B)1.	GMR	
12. <input type="checkbox"/> Out of state manifests have all required MO information - 10 CSR 25-5.262(2)(B)4.A	GOR	
13. <input checked="" type="checkbox"/> Manifest continuation sheets are not used - 10 CSR 25-5.262(2)(B)1	GOR	
14. <input type="checkbox"/> Manifest returned within 35 days - or exception report submitted within 45 days - 10 CSR 25-5.262(2)(D)2.C	GRR	
15. <input checked="" type="checkbox"/> Summary Manifest Reports and manifest copies sent to DNR quarterly - 10 CSR 25-5.262(2)(D)1	GOR	
16. <input checked="" type="checkbox"/> Tests waste or uses knowledge of waste to determine if the waste is restricted from land disposal - 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a)	GLB	
17. <input checked="" type="checkbox"/> "Land-Ban" notification/certification sent with manifests or with 1st shipment under a tolling agreement & retained on-site for 5 years - 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a)	GLB	
18. <input checked="" type="checkbox"/> Notification/certification includes correct EPA Hazardous Waste number, corresponding treatment standards, manifest number, and waste analysis data - 10 CSR 25-7.268(1) incorporating 40 CFR 268.7(a)	GLB	

G. PREPAREDNESS AND PREVENTION

1. <input checked="" type="checkbox"/> Arrangements with local emergency agencies - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(4) referencing 40 CFR 265.37	GPT	COMMENTS
2. <input checked="" type="checkbox"/> Emergency coordinator(s) on premise or on call - 10 CSR 25-5.262(1) incorporating 40 CFR 262.34(d)(5)(i)	GSQ	

H. WASTE OIL

1. <input type="checkbox"/> Waste oil is managed properly and not disposed of into the environment - 10 CSR 25-11.010(1)(D).	GOR	COMMENTS
2. <input type="checkbox"/> Listed hazardous waste mixed with waste oil is handled as a hazardous waste - 10 CSR 25-11.010(1)(C)2.	GOR	
3. <input type="checkbox"/> Registered as waste oil generator if gen./accum. 220 lb. - 10 CSR 25-11.010(2)(A)	GOR	
4. <input type="checkbox"/> Written waste oil contract maintained - 10 CSR 25-11.010(4)(C)	GOR	
5. <input type="checkbox"/> Uses a licensed transporter and receiving facility - 10 CSR 25-11.010(4)	GOR	

I. RESOURCE RECOVERY

<input checked="" type="checkbox"/> RR certification for energy recovery or reclamation of waste oil or hazardous waste on-site - 10 CSR 25-9.020(1)(A)3	GOR
<input checked="" type="checkbox"/> Still bottoms or RR residue disposed of properly - Section 266.108 RSMc	GOR
3. <input type="checkbox"/> Facility is classified as U, R1, or R2 accurately - 10 CSR 25-9.020(3)(A).	GOR
4. <input type="checkbox"/> Facility meets the operating conditions of certification - 10 CSR 25-9.020(3).	GOR
5. <input type="checkbox"/> Facility has submitted a written request and received approval from the DNR for all changes in operation including closure - 10 CSR 25-9.020(3)(E)1 and 2.	GOR
6. <input type="checkbox"/> Facility report submitted to DNR quarterly - 10 CSR 25-9.020(3)(E)6. referencing 10 CSR 25-7.264(2)(E)3.	GOR
7. <input type="checkbox"/> Facility maintains a complete written operating record - 10 CSR 25-9.020(3)(E)5. referencing 40 CFR 264.73(b)(1) and (2) as modified by 10 CSR 25-7.264(2)(E)2.	GOR
8. <input type="checkbox"/> Facility has notified EPA and the state that it qualifies for a small quantity on-site burner exemption or has interim status or a permit if it burns hazardous waste on-site - 10 CSR 25-7.266(1) incorporating 40 CFR 266.108 and 40 CFR 266.103.	GOR

COMMENTS

CHECKLIST KEY

Check the ☒ if in compliance.

Circle the ☐ if not in compliance and provide comment.

N/A = Not Applicable

A shaded item is a serious deviation from the requirements (Class I violation)

An unshaded item is a significant deviation from the requirements (Class II violation unless conditions warrant Class I)

COMMENTS: INCLUDE DISCUSSION OF FACILITY'S WASTE MINIMIZATION PLAN

INSPECTOR'S SIGNATURE

David E. Mann

DATE

8/4/93

ATTACHMENT 2

Quarter: 9-30-92 Generator's Report Hazardous Waste Summary

Generator's Hazardous Waste Report Summary

Sent Blue Copies of Manifest - has all signatures. Quarterly Mailed: 11-12-92 (sh)



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM
P.O. BOX 178
JEFFERSON CITY, MISSOURI 65102
(314) 751-3176

GENERATOR'S HAZARDOUS WASTE
SUMMARY REPORT - PART I

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL
OR ENTER:

GENERATOR'S NAME

EDWARD SIMON PAINTING
CONTACT: RANDAL F. FREESE
7220 MURDOCK AVENUE
SHREWSBURY, MO 63119

EPAID=MOD985799584

MOID=014923

NOTE: THE FEDERAL EPA AND MISSOURI GENERATOR I.D. NUMBERS ARE ASSIGNED
EXCLUSIVELY TO THE SITE WHERE WASTE IS PRODUCED. YOU MUST NOTIFY THE
DEPARTMENT IF THE ADDRESS FOR THE SITE OF GENERATION CHANGES.

NOTE ► PLEASE READ INSTRUCTIONS AND EITHER PRINT OR TYPE

SECTION A - REPORT IDENTIFICATION

1. TYPE OF REPORT (CHECK ONE)

☒ QUARTERLY ☐ ANNUAL

(IF ANNUAL CHECKED, PLACE X IN 6-30 BOX)

2. FOR THE PERIOD ENDING (CHECK ONE & FILL IN YEAR)

☒ 9-30-92 (YEAR) ☐ 12-31-___ (YEAR)

☐ 3-31-___ (YEAR) ☐ 6-30-___ (YEAR)

3. PAGE

1 OF 2

SECTION B - GENERATOR IDENTIFICATION

NOTE: Any change in either the mailing or site address from previous reports requires renotification to the Department.

4. GENERATOR'S NAME ☒ SAME AS LABEL

5. GENERATOR CONTACT PERSON (NAME) ☒ SAME AS LABEL

TELEPHONE NUMBER

(314) 647-4031

6. MAILING ADDRESS

P. O. Box 190369

CITY

Shrewsbury

STATE

Mo.

ZIP CODE

63119

7. PLANT SITE ADDRESS ☒ SAME AS LABEL

CITY

STATE

ZIP CODE

8. NAME OF PARENT FIRM

OFFICE USE ONLY

SECTION C - STATUS OF WASTE GENERATED (CHECK ONE)

9. ☒ SHIPPED OFF-SITE. Complete part 2, attach
completed hazardous waste manifests, sign
certification and transmit to the department.

10. ☐ REPORTABLE QUANTITY NOT GENERATED. Sign
certification and transmit to the department. (Do not
complete Part 2)

11. ☐ REPORTABLE QUANTITY GENERATED BUT NOT SHIPPED
OFF-SITE THIS QUARTER. Sign certification and transmit to
the department. (Do not complete Part 2).

SECTION D - COMMENTS

12.

SECTION E - CERTIFICATION STATEMENT

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

PRINT NAME

Randal F. Freese, Presi.

SIGNATURE

DATE

11-12-92



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM
P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
(314) 751-3176

**GENERATOR'S HAZARDOUS WASTE
REPORT SUMMARY SHEET - PART II**

**BEFORE COPYING FORM, ENTER THE GENERATOR'S NAME
AND IDENTIFICATION NUMBERS AS SHOWN ON PART I.**

GENERATOR NAME

EDWARD SIMON PAINTING

EPA ID NUMBER

M.O.D.9.8.5.7.9.9.5.8.4

MISSOURI I.D. NUMBER

0.1.4.9.2.3

NOTE ▶ PLEASE READ INSTRUCTIONS AND EITHER PRINT OR TYPE

ATTENTION: Summarize all shipments made to the Hazardous Waste Management Facility you have identified in Section G below. Additional pages are required for each off-site management facility utilized.

SECTION F - REPORT IDENTIFICATION (AS SHOWN ON PART I)

1. FOR THE PERIOD ENDING (CHECK ONE & FILL IN YEAR)

☒ 9-30-92 (YEAR)

☐ 12-31- (YEAR)

☐ 3-31- (YEAR)

☐ 6-30- (YEAR)

2. PAGE

2 OF 2

SECTION G - FACILITY IDENTIFICATION

3. FACILITY NAME (NAME OF OFF-SITE LOCATION WHERE WASTE WAS DELIVERED)

SAFETY-KLEEN CORP.

5. FACILITY SITE ADDRESS

4526 TOWNE COURT

CITY

ST. CHARLES,

STATE

MO.

ZIP CODE

63304

4. FACILITY'S EPA I.D. NUMBER

M.O.D.0.9.5.4.8.6.3.1.2

6. FACILITY'S MISSOURI I.D. NUMBER

H.H.0.0.2.3

SECTION H - WASTE IDENTIFICATION

LINE	7. DESCRIPTION OF WASTE SHIPPED TO THE FACILITY LISTED ABOVE	8. DOT HAZARD CODE	9. EPA HAZARDOUS WASTE NUMBER	10. TAX CODE (SEE INST.)	11. TOTAL AMOUNT OF WASTE	12. UNIT OF MEAS.	13. SPECIFIC GRAVITY	14. FINAL HANDLING CODE
1	RQ WASTE PAINT RELATED MATERIAL FLAMMABLE LIQUID	.	F.0.0.5 . . .		672	P	.	T:5.4
2	UN1263 (ERG #26) (F005, D006, D007)
3	
4	
5	
6	
7	
8	

SECTION I - TRANSPORTATION SERVICES UTILIZED

15. COMPANY NAME	16. MISSOURI ID NO.	17. US EPA I.D. NUMBER
a SAFETY-KLEEN CORP.	H. . . 1.2.7.3	M.O.D.0.9.5.4.8.6.3.1.2
b	H.
c	H.

SECTION J - COMMENTS

18.

5-160-43

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3176

HAZARDOUS WASTE MANIFEST

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314-634-2438

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584		Manifest Document No. 00010		2. Page 1 of 1		Information in the shaded areas is required by State Law.			
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119						A. Missouri Manifest Document Number 014923					
4. Generator's Phone (314) 647-4031						B. Gen. Site Address SAME					
5. Transporter 1 Company Name SAFETY-KLEEN CORP.						C. MO. Transporter's ID H-1273					
6. US EPA ID Number MOD 095486312						D. Transporter's Phone 314 441-0104					
7. Transporter 2 Company Name						E. MO. Transporter's ID					
8. US EPA ID Number						F. Transporter's Phone					
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES, MO 63304						G. State Facility's ID HH-0023					
10. US EPA ID Number 5-160-43						H. Facility's Phone 314 441-0104					
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)						12. Containers		13. Total Quantity		14. Unit Wt/Vol.	
a. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (D008, F005) (ERG#26)						2 DM		192		P	
b.										EPA WASTE CODE F005	
c.										STATE	
d.										EPA WASTE CODE	
e.										STATE	
f.										EPA WASTE CODE	
g.										STATE	
h.										EPA WASTE CODE	
i.										STATE	
J. Additional Descriptions for Materials Listed Above						K. Handling Code (Facility Use Only)					
a. F003 D001						Interim S01 Final T54					
b. D006 D007 D008											
c.											
d.											
15. Special Handling Instructions and Additional Information 9230 42326298 487229 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR.											
IF UNDELIVERABLE, RETURN TO SKDOT# A: 523 B: C: D:											
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations.											
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.											
Printed/Typed Name Barb Kinderman						Signature Barb Kinderman					
Month Day Year 07/17/92											
17. Transporter 1 Acknowledgement of Receipt of Materials											
Printed/Typed Name Michael D. Neely						Signature Michael D. Neely					
Month Day Year 07/17/92											
18. Transporter 2 Acknowledgement of Receipt of Materials											
Printed/Typed Name						Signature					
Month Day Year											
19. Discrepancy Indication Space											
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.											
Printed/Typed Name Maggie Wiseman						Signature Maggie Wiseman					
Month Day Year 07/20/92											

MISSOURI DNR FINAL COPY - PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.

JUL 21 1992



5-160-43

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)EPA ID NO. MDDC95486312
(DESIGNATED FACILITY)

4526 TOWNE CT

ADDRESS: ST CHARLES, MO 63304

OPTION A

Under manifest number 00010, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SQG CUSTOMERS ONLY
PARTS WASHER AND
IMMERSION CLEANER
609 AND 699

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgment No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgment(s) for five (5) years beyond the termination of the service contract.

PLEASE CHECK THE APPROPRIATE BOXES

✓	WASTE NAME	EPA + WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
<input type="checkbox"/>	Waste Petroleum Naphtha	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) INCIN Not Established Not Established
<input type="checkbox"/>	Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 5.0 5.0 Not Established
<input type="checkbox"/>	Waste Compound Cleaning Liquid/ Immersion cleaner 609	F002, F004, D006, D007, D008, D022,	Cresylic Acid 1, 2-dichlorobenzene Methylene chloride — Cadmium — Chromium — Lead — Chloroform	0.75 0.125 0.96 1.0 5.0 5.0 Not Established
<input type="checkbox"/>	Waste Compound Cleaning Liquid/ Immersion Cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's ≥ 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN 1.0 5.0 5.0 Not Established Not Established Not Established Not Established Not Established
<input type="checkbox"/>	Waste Perchloroethylene	F002,	Tetrachloroethylene	0.05
<input type="checkbox"/>	Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	0.96
<input type="checkbox"/>	Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	0.41
<input checked="" type="checkbox"/>	Waste Paint Related Material	F005, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	0.59 0.75 0.33 0.33 0.15 0.75 INCIN, FSUBS, or RORGS 1.0 5.0 5.0
<input type="checkbox"/>	Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (This is a non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: EDWARD SIMON PAINTING

5-160-43-6100 XX 487229

EPA ID NO.: MDD985799584

Generator's Signature: X

Printed Name and Title of Generator: Barb Kinderman

Date: 07-17-92

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

GENERATOR

Part No. 1328 (Rev. 5/92)

5-160-43

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3176

HAZARDOUS WASTE MANIFEST

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314-834-2436

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584		Manifest Document No. 52657		2. Page 1 of 1		Information in the shaded areas Is required by State Law.	
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119						A. Missouri Manifest Document Number 014923			
4. Generator's Phone 314 647-4031						B. Gen. Site Address SAME			
5. Transporter 1 Company Name SAFETY-KLEEN CORP.				6. US EPA ID Number MOD 095486312		C. MO. Transporter's ID H-1273			
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 314 441-0104			
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304						E. MO. Transporter's ID			
10. US EPA ID Number 5-160-43						F. Transporter's Phone			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER) RG WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (D008, F005) (ERG#26)						12. Containers 2 DM		13. Total Quantity 192 P	
						14. Unit Wt/Vol.		15. Waste No. F005	
						16. EPA WASTE CODE F005		17. STATE	
						18. EPA WASTE CODE		19. STATE	
						20. EPA WASTE CODE		21. STATE	
						22. EPA WASTE CODE		23. STATE	
J. Additional Descriptions for Materials Listed Above						K. Handling Code (Facility Use Only)			
a. F003 D001						a. S01			
b. D006 D007 D008						b. 154			
c.						c.			
d.						d.			
15. Special Handling Instructions and Additional Information 9234 43402684 852657 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR.									
IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations.									
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name L. Ruth H. Harte				Signature L. Ruth H. Harte				Month Day Year 10/11/3192	
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed/Typed Name Michael D. Neely				Signature Michael D. Neely	
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed/Typed Name				Signature	
19. Discrepancy Indication Space				Printed/Typed Name MAGGIE WISEMAN				Signature Maggie Wiseman	
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.				Printed/Typed Name MAGGIE WISEMAN				Signature Maggie Wiseman	
				Month Day Year 10/11/3192					

MISSOURI DNR FINAL COPY — PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.

AUG 17 1992



160-43

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)
4526 TOWNE CT

EPA ID NO. MCD095496312
(DESIGNATED FACILITY)

ADDRESS: ST CHARLES RD 63304

OPTION A

Under manifest number 52657, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SOQ CUSTOMERS ONLY
(PARTS WASHER AND
IMMERSION CLEANER
609 AND 699)

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgment(s) for five (5) years beyond the termination of the service contract.

PLEASE CHECK THE APPROPRIATE BOXES	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	<input type="checkbox"/> Waste Petroleum Naphtha	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) INCIN Not Established Not Established
	<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 5.0 5.0 Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 609	F002, F004, D006, D007, D008, D022,	Cresylic Acid 1, 2-dichlorobenzene Methylene chloride — Cadmium — Chromium — Lead — Chloroform	0.75 0.125 0.96 1.0 5.0 5.0 Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion Cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN 1.0 5.0 5.0 Not Established Not Established Not Established Not Established Not Established
	<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	0.05
	<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	0.96
	<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	0.41
	<input checked="" type="checkbox"/> Waste Paint Related Material	F005, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	0.59 0.75 0.33 0.33 0.15 0.75 INCIN, FSUBS, or RORGS 1.0 5.0 5.0
	<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (This is a non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: EDWARD SIMON PAINTING

5-160-43-0100 XX 852057

EPA ID NO.: MCD0985799584

Generator's Signature: X

Date:

Printed Name and Title of Generator:

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

GENERATOR

Part No. 1328 (Rev. 5/92)

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.

THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3178

HAZARDOUS WASTE MANIFEST

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314-634-2436

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is required by State Law.	
3. Generator's Name and Mailing Address		4. Generator's Phone		A. Missouri Manifest Document Number		
Edward Simon Painting		314 647403		014923		
5. Transporter 1 Company Name		6. US EPA ID Number		B. G.S.I. (Gen. Site Address)		
Safety-Kleen Corp.		MOD095486312		SAME		
7. Transporter 2 Company Name		8. US EPA ID Number		C. MO. Transporter's ID		
				H-1273		
9. Designated Facility Name and Site Address		10. US EPA ID Number		D. Transporter's Phone		
Safety-Kleen Corp.		5-160-43		314-441-0104		
4526 Towne Ct.		MOD095486312		E. MO. Transporter's ID		
St. Charles, MO 63304				F. Transporter's Phone		
				G. State Facility's ID		
				HH-0023		
				H. Facility's Phone		
				314-441-0104		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)				12. Containers	13. Total Quantity	14. Unit Wt/Vol.
a. RQ Waste Paint Related Material Flammable Liquid UN1263 (ERG #26)(F005,D006,D007)				3 DM	288	P
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above				K. Handling Code (Facility Use Only)		
F003 D001 D006 D007 D008				S01 T54 Dist/Fuel B1		
15. Special Handling Instructions and Additional Information						
EMERG RESP. #708-888-4660-24 HR. IF UNDELIVERABLE, RETURN TO GENERATOR						
SKDOT # A: 523 B: C: D:						
5.160.43.6100 M79657						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations.						
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Month Day Year		
Ruth A. Harte		Ruth A. Harte		10/9/1992		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month Day Year		
Printed/Typed Name		Signature		Month Day Year		
Michael D. Neely		Michael D. Neely		10/9/1992		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year		
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
Corrected line 20						
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Month Day Year		
Maggie Wiseman		Maggie Wiseman		10/9/1992		

SEP 14 1992

MISSOURI DNR FINAL COPY - PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.



NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)

EPA ID NO.

M00095486312
(DESIGNATED FACILITY)

ADDRESS:

4526 Towne Ct St Charles MO 63304

OPTION A

Under manifest number 79651, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SOG CUSTOMERS ONLY
(PARTS WASHER AND
IMMERSION CLEANER
609 AND 699)

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgment(s) for five (5) years beyond the termination of the service contract.

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
PLEASE CHECK THE APPROPRIATE BOXES	<input type="checkbox"/> Waste Petroleum Naphtha	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGs) INCIN Not Established Not Established
	<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 5.0 5.0 Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 609	F002, F004, D006, D007, D008, D022,	Cresylic Acid 1, 2-dichlorobenzene Methylene chloride — Cadmium — Chromium — Lead — Chloroform	0.75 0.125 0.96 1.0 5.0 5.0 Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion Cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN 1.0 5.0 5.0 Not Established Not Established Not Established Not Established Not Established
	<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	0.05
	<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	0.96
	<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	0.41
	<input checked="" type="checkbox"/> Waste Paint Related Material	F005, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	0.59 0.75 0.33 0.33 0.15 0.75 INCIN, FSUBS, or RORGs 1.0 5.0 5.0
	<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (This is a non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company:

Edward Simon Painting

EPA ID NO.:

M00985799584

Generator's Signature:

X

Ruth H. Harte

Date:

09-10-92

Printed Name and Title of Generator:

Ruth H. Harte

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

GENERATOR

Part No. 1328 (Rev. 6/92)

ATTACHMENT 3

Waste

697.79



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM
P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
(314) 751-3176

BEFORE COPYING FROM, ATTACH SITE IDENTIFICATION LABEL
OR ENTER:

GENERATOR'S NAME

EDWARD SIMON PAINTING
CONTACT: RANDAL F. FREESE
7220 MURDOCK AVENUE
SHREWSBURY, MO 63119

GENERATOR'S HAZARDOUS WASTE
SUMMARY REPORT - PART I

EPAID=MOD985799584

MOID=014923

NOTE: THE FEDERAL EPA AND MISSOURI GENERATOR I.D. NUMBERS ARE ASSIGNED
EXCLUSIVELY TO THE SITE WHERE WASTE IS PRODUCED. YOU MUST NOTIFY THE
DEPARTMENT IF THE ADDRESS FOR THE SITE OF GENERATION CHANGES.

NOTE: PLEASE READ INSTRUCTIONS AND EITHER PRINT OR TYPE

SECTION A - REPORT IDENTIFICATION

1. TYPE OF REPORT (CHECK ONE)

☒ QUARTERLY ☐ ANNUAL

(IF ANNUAL CHECKED, PLACE X IN 6-30 BOX)

2. FOR THE PERIOD ENDING (CHECK ONE & FILL IN YEAR)

☐ 9-30-____ (YEAR) ☐ 12-31-____ (YEAR)

☒ 3-31-93 (YEAR) ☐ 6-30-____ (YEAR)

3. PAGE

1 OF 2

SECTION B - GENERATOR IDENTIFICATION

NOTE: Any change in either the mailing or site address from previous reports requires renotification to the Department.

4. GENERATOR'S NAME ☒ SAME AS LABEL

5. GENERATOR CONTACT PERSON (NAME) ☒ SAME AS LABEL

TELEPHONE NUMBER

(314) 647-4031

6. MAILING ADDRESS

P. O. Box 190369

CITY

Shrewsbury

STATE

Mo.

ZIP CODE

63119

7. PLANT SITE ADDRESS ☒ SAME AS LABEL

CITY

STATE

ZIP CODE

8. NAME OF PARENT FIRM

OFFICE USE ONLY

SECTION C - STATUS OF WASTE GENERATED (CHECK ONE)

9. ☒ SHIPPED OFF-SITE. Complete part 2, attach
completed hazardous waste manifests, sign
certification and transmit to the department.

10. ☐ REPORTABLE QUANTITY NOT GENERATED. Sign
certification and transmit to the department. (Do not
complete Part 2)

11. ☐ REPORTABLE QUANTITY GENERATED BUT NOT SHIPPED
OFF-SITE THIS QUARTER. Sign certification and transmit to
the department. (Do not complete Part 2)

SECTION D - COMMENTS

12.

SECTION E - CERTIFICATION STATEMENT

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

PRINT NAME

Randal F. Freese, Presi.

SIGNATURE

DATE

5-4-93



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM

P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
(314) 751-3176

GENERATOR'S HAZARDOUS WASTE
REPORT SUMMARY SHEET - PART II

BEFORE COPYING FORM, ENTER THE GENERATOR'S NAME
AND IDENTIFICATION NUMBERS AS SHOWN ON PART I.

GENERATOR NAME

EDWARD SIMON PAINTING

EPA ID NUMBER

M.O.D.9.8.5.7.9.9.5.8.4

MISSOURI I.D. NUMBER

0.1.4.9.2.3

NOTE ► PLEASE READ INSTRUCTIONS AND EITHER PRINT OR TYPE

ATTENTION: Summarize all shipments made to the
Hazardous Waste Management Facility you have
identified in Section G below. Additional pages are
required for each off-site management facility utilized.

SECTION F - REPORT IDENTIFICATION (AS SHOWN ON PART I)

1. FOR THE PERIOD ENDING (CHECK ONE & FILL IN YEAR)

☐ 9-30- (YEAR)

☐ 12-31- (YEAR)

☒ 3-31- 93 (YEAR)

☐ 6-30- (YEAR)

2. PAGE

2 OF 2

SECTION G - FACILITY IDENTIFICATION

3. FACILITY NAME (NAME OF OFF-SITE LOCATION WHERE WASTE WAS DELIVERED)

SAFETY-KLEEN CORP.

5. FACILITY SITE ADDRESS

4526 TOWNE COURT

CITY

ST. CHARLES,

STATE

MO.

ZIP CODE

63304

4. FACILITY'S EPA I.D. NUMBER

M.O.D.O.9.5.4.8.6.3.1.2

6. FACILITY'S MISSOURI I.D. NUMBER

H. H. O. O. 2. 3

SECTION H - WASTE IDENTIFICATION

LINE	7. DESCRIPTION OF WASTE SHIPPED TO THE FACILITY LISTED ABOVE	8. DOT HAZARD CODE	9. EPA HAZARDOUS WASTE NUMBER	10. TAX CODE (SEE INST.)	11. TOTAL AMOUNT OF WASTE	12. UNIT OF MEAS.	13. SPECIFIC GRAVITY	14. FINAL HANDLING CODE
1	RQ WASTE PAINT RELATED MATERIAL FLAMMABLE LIQUID	.	F 0 0 5 . . .		576	P	.	T 5 4
2	UN1263 (ERG #26) (F005, D006, D007)
3	
4	
5	
6	
7	
8	

SECTION I - TRANSPORTATION SERVICES UTILIZED

15. COMPANY NAME	16. MISSOURI ID NO.	17. US EPA I.D. NUMBER
a SAFETY-KLEEN CORP.	H. . 1 2 7 3	M.O.D.O.9.5.4.8.6.3.1.2
b	H.
c	H.

SECTION J - COMMENTS

18

5-160-43
INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.
THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES
Division of Environmental Quality
Waste Management Program
P.O. Box 176 Jefferson City, Missouri 65102
314-751-3176

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314-634-2436

HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584	Manifest Document No. 84897	2. Page 1 of 1	Information in the shaded areas Is required by State Law.	
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119 4. Generator's Phone 314 647-4031				A. Missouri Manifest Document Number 014923 0017 B. G.S.I. (Gen. Site Address) SAME		
5. Transporter 1 Company Name SAFETY-KLEEN CORP.		6. US EPA ID Number MOD 095486312		C. MO. Transporter's ID H-1273		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 314 441-0104		
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304				E. MO. Transporter's ID F. Transporter's Phone G. State Facility's ID HH-0023 H. Facility's Phone 314 441-0104		
10. US EPA ID Number 5-160-43				MOD 095486312		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER) a. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (D008, F005) (ERG#26)				12. Containers 1	13. Total Quantity DM 96	
				14. Unit P	15. Waste No. EPA WASTE CODE F005 STATE	
					EPA WASTE CODE STATE	
					EPA WASTE CODE STATE	
					EPA WASTE CODE STATE	
J. Additional Descriptions for Materials Listed Above a. F003 D001 b. D004 D007 D008 c. d.				K. Handling Code (Facility Use Only) a. SO1 T54 b. c. d.		
15. Special Handling Instructions and Additional Information 9304 49660319 884897 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name Barb Kinderman		Signature Barb Kinderman		Month Day Year 12/2/93		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Michael D. Neely		Signature Michael D. Neely		Month Day Year 12/2/93		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Maggie Wiseman						
Signature Maggie Wiseman		Month Day Year 12/2/93				

MISSOURI DNR FINAL COPY - PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.



5-160-43

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)EPA ID NO. M00C95486312
(DESIGNATED FACILITY)

4526 TOWNE CT

ADDRESS: ST CHARLES MO 63304

OPTION A

Under manifest number 898917, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SQG CUSTOMERS ONLY
(PARTS WASHER AND
IMMERSION CLEANER)
609 AND 699

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgment(s) for five (5) years beyond the termination of the service contract.

WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
<input type="checkbox"/> Waste Petroleum Naphtha (105)	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
<input type="checkbox"/> Waste Petroleum Naphtha (140)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established Not Established
<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
<input type="checkbox"/> Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
<input checked="" type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition.

EDWARD SIMON PAINTING

5304

5-160-43-0100 XX
MCU9H5799584

884897

Generator Company: _____

EPA ID NO.: _____

Generator's Signature: X

Date: 01-22-93

Printed Name and Title of Generator: _____

Safety-Kleen Corp. is committed to providing safe and effective waste management services in accordance with all applicable elements of the land disposal restrictions.

5-160-43

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3176

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314 634-2436

HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584		Manifest Document No. 14187		2. Page 1 of 1		Information in the shaded areas is required by State Law.	
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119						A. Missouri Manifest Document Number 014923 0018			
4. Generator's Phone (314) 647-4031						B. Facility (Gen. Site Address) SAFE			
5. Transporter 1 Company Name SAFETY-KLEEN CORP.				6. US EPA ID Number MOD 095486312		C. MO. Transporter's ID 51733 072-791			
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 314 441-0104			
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304				10. US EPA ID Number 5-160-43		E. MO. Transporter's ID			
						F. Transporter's Phone			
						G. State Facility's ID HH-0023			
						H. Facility's Phone 314 441-0104			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)						12. Containers		13. Total Quantity	
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005)(ERG#26)						3 DM		288 P	
b.								EPA WASTE CODE F005	
c.								STATE	
d.								EPA WASTE CODE	
								STATE	
J. Additional Descriptions for Materials Listed Above						K. Handling Code (Facility Use Only)			
a. F003 D001						Interim 501 Final 154			
b. D005 D007 D008						Comments			
c.									
d.									
15. Special Handling Instructions and Additional Information 7308 50871615 214187 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name Ruth H. Harce				Signature <i>Ruth H. Harce</i>				Month Day Year 10/22/93	
17. Transporter 1 Acknowledgement of Receipt of Materials				Printed/Typed Name Michael D. Neely				Signature <i>Michael D. Neely</i>	
								Month Day Year 10/23/93	
18. Transporter 2 Acknowledgement of Receipt of Materials				Printed/Typed Name				Signature	
								Month Day Year	
19. Discrepancy Indication Space									
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name Maggie Wiseman				Signature <i>Maggie Wiseman</i>				Month Day Year 10/22/93	

MISSOURI DNR FINAL COPY - PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.



5-100-43

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)EPA ID NO. M00095486312
(DESIGNATED FACILITY)

4526 TOWNE CT

ADDRESS: ST CHARLES

MU 03304

OPTION A

Under manifest number 14187, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SQG CUSTOMERS ONLY
PARTS WASHER AND
IMMERSION CLEANER
609 AND 699

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgment(s) for five (5) years beyond the termination of the service contract.

WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
<input type="checkbox"/> Waste Petroleum Naphtha (105)	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
<input type="checkbox"/> Waste Petroleum Naphtha (140)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established
<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
<input type="checkbox"/> Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
<input checked="" type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition. 9308
EDWARD SIMON PAINTING5-100-43-0100 AA 214107
M00095486312

Generator Company: _____

EPA ID NO.: _____

Generator's Signature: X

Date:

02-23-93

Printed Name and Title of Generator: Ruth H. Harce

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions

5-160-43

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3176

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314-634-2436

HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584		Manifest Document No. 43372		2. Page 1 of 1		Information in the shaded areas is required by State Law.	
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119						A. Missouri Manifest Document Number 014923 0019			
4. Generator's Phone (314 647-4031)						B. Gen. Site Address SAME			
5. Transporter 1 Company Name SAFETY-KLEEN CORP.				6. US EPA ID Number MOD 095486312		C. MO. Transporter's ID H-1273 MO 02791			
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 314 441-0104			
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304				10. US EPA ID Number 5-160-43		E. MO. Transporter's ID			
						F. Transporter's Phone			
						G. State Facility's ID HH-0023			
						H. Facility's Phone 314 441-0104			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)						12. Containers		13. Total Quantity	
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005) (ERG#26)						2		DM 192	
b.									
c.									
d.									
14. Unit Wt/Vol.						15. Waste No.		EPA WASTE CODE F005	
								STATE	
								EPA WASTE CODE	
								STATE	
								EPA WASTE CODE	
								STATE	
								EPA WASTE CODE	
								STATE	
J. Additional Descriptions for Materials Listed Above						K. Handling Code (Facility Use Only)			
a. F003 D001						Interim Final Comments			
b. D004 D007 D008						a. S01 T54			
c.						b.			
d.						c.			
15. Special Handling Instructions and Additional Information 9312 51980258 543372 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name Ruth H. Harte				Signature <i>Ruth H. Harte</i>				Month Day Year 03/25/93	
17. Transporter 1 Acknowledgement of Receipt of Materials						Date			
Printed/Typed Name Richard G Enright				Signature <i>Richard G Enright</i>				Month Day Year 03/25/93	
18. Transporter 2 Acknowledgement of Receipt of Materials						Date			
Printed/Typed Name				Signature				Month Day Year	
19. Discrepancy Indication Space									
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name LUCIA M. RIEH				Signature <i>Lucia M. Rieh</i>				Month Day Year 03/26/93	

MISSOURI DNR FINAL COPY - PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.

MAR 30 1993

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)

EPA ID NO. MD095488312
(DESIGNATED FACILITY)

4526 TOWNE CT

ADDRESS: ST CHARLES MD 21304

OPTION A

Under manifest number _____, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SGG CUSTOMERS ONLY
(PART WASHER AND
IMMERSION CLEANER
609 AND 699)

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgment(s) for five (5) years beyond the termination of the service contract.

WASTE NAME	EPA + WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
<input type="checkbox"/> Waste Petroleum Naphtha (105)	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
<input type="checkbox"/> Waste Petroleum Naphtha (140)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established
<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
<input type="checkbox"/> Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
<input checked="" type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

These treatment standards do not preclude reclamation prior to final disposition. 9312

5-160-43-6100 AA 543372

EDWARD SIMON PAINTING

MD095488312

Generator Company: _____

EPA ID NO.: _____

Generator's Signature: X

Ruth H. Harle

Date:

3-25-93

Printed Name and Title of Generator:

Ruth H. Harle, Office Mgr.

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

PLEASE CHECK THE APPROPRIATE BOXES

GENERATOR

ATTACHMENT 4

Quarter: 12-31-92 Generator's Report Hazardous Waste Summary

dd To g	Rel B I ing	Manifest #	Service Date	No. of Containers	Wgt. ea.	Total Wgt. Picked up.	Waste Part. Related Materials Flammable Liquid	Cost.
✓	✓	0013	10-12-92	2	96	192	✓	\$ 209.00
✓	✓	0014	11-6-92	2	96	192	✓	\$ 209.00
✓	✓	0015	12-3-92	3	2 X 96 + 27	219	✓	308.00
✓	✓	0016	12-28-92	2	96	192	✓	209.00
				9		795		935.00

Sent Blue Copies of Manifest - has all signatures. Quarterly mailed: 2-10-93.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM
P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
(314) 751-3176
**GENERATOR'S HAZARDOUS WASTE
REPORT SUMMARY SHEET - PART II**

**BEFORE COPYING FOR ENTER THE GENERATOR'S NAME
AND IDENTIFICATION NUMBERS AS SHOWN ON PART I.**

GENERATOR NAME

EDWARD SIMON PAINTING

EPA ID NUMBER

M.O.D.9.8.5.7.9.9.5.8.4

MISSOURI I.D. NUMBER

0.1.4.9.2.3

NOTE ► PLEASE READ INSTRUCTIONS AND EITHER PRINT OR TYPE

ATTENTION: Summarize all shipments made to the Hazardous Waste Management Facility you have identified in Section G below. Additional pages are required for each off-site management facility utilized.

SECTION F - REPORT IDENTIFICATION (AS SHOWN ON PART I)

1. FOR THE PERIOD ENDING (CHECK ONE & FILL IN YEAR)

☐ 9-30- (YEAR)

☒ 12-31- 92 (YEAR)

☐ 3-31- (YEAR)

☐ 6-30- (YEAR)

2. PAGE

2 OF 2

SECTION G - FACILITY IDENTIFICATION

3. FACILITY NAME (NAME OF OFF-SITE LOCATION WHERE WASTE WAS DELIVERED)

SAFETY-KLEEN CORP.

5. FACILITY SITE ADDRESS

4526 TOWNE COURT

CITY

ST. CHARLES,

STATE
MO.

ZIP CODE
63304

4. FACILITY'S EPA I.D. NUMBER

M.O.D.0.9.5.4.8.6.3.1.2

6. FACILITY'S MISSOURI I.D. NUMBER

H.H.0.0.2.3

SECTION H - WASTE IDENTIFICATION

LINE	7. DESCRIPTION OF WASTE SHIPPED TO THE FACILITY LISTED ABOVE	8. DOT HAZARD CODE	9. EPA HAZARDOUS WASTE NUMBER	10. TAX CODE (SEE INST.)	11. TOTAL AMOUNT OF WASTE	12. UNIT OF MEAS.	13. SPECIFIC GRAVITY	14. FINAL HANDLING CODE
1	RQ WASTE PAINT RELATED MATERIAL FLAMMABLE LIQUID	.	F.0.0.5 . . .		795	P	.	T.5.4
2	UN1263 (ERG #26) (F005, D006, D007)
3	
4	
5	
6	
7	
8	

SECTION I - TRANSPORTATION SERVICES UTILIZED

15. COMPANY NAME	16. MISSOURI ID NO.	17. US EPA I.D. NUMBER
a SAFETY-KLEEN CORP.	H. - .1.2.7.3	M.O.D.0.9.5.4.8.6.3.1.2
b	H. -
c	H. -

SECTION J - COMMENTS

18.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM
P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
(314) 751-3176

GENERATOR'S HAZARDOUS WASTE
SUMMARY REPORT - PART I

BEFORE COPYING FORM, ATTACH SITE IDENTIFICATION LABEL
OR ENTER:

GENERATOR'S NAME

EDWARD SIMON PAINTING
CONTACT: RANDAL F. FREESE
7220 MURDOCK AVENUE
SHREWSBURY, MO 63119

EPAID=MOD985799584

MOID=014923

NOTE: THE FEDERAL EPA AND MISSOURI GENERATOR I.D. NUMBERS ARE ASSIGNED EXCLUSIVELY TO THE SITE WHERE WASTE IS PRODUCED. YOU MUST NOTIFY THE DEPARTMENT IF THE ADDRESS FOR THE SITE OF GENERATION CHANGES.

NOTE ► PLEASE READ INSTRUCTIONS AND EITHER PRINT OR TYPE

SECTION A - REPORT IDENTIFICATION

1. TYPE OF REPORT (CHECK ONE)

☒ QUARTERLY ☐ ANNUAL

(IF ANNUAL CHECKED, PLACE X IN 6-30 BOX)

2. FOR THE PERIOD ENDING (CHECK ONE & FILL IN YEAR)

☐ 9-30- ____ (YEAR) ☒ 12-31-92 (YEAR)

☐ 3-31- ____ (YEAR) ☐ 6-30- ____ (YEAR)

3. PAGE

1 OF 2

SECTION B - GENERATOR IDENTIFICATION

NOTE: Any change in either the mailing or site address from previous reports requires renotification to the Department.

4. GENERATOR'S NAME ☒ SAME AS LABEL

5. GENERATOR CONTACT PERSON (NAME) ☒ SAME AS LABEL

TELEPHONE NUMBER

(314) 647-4031

6. MAILING ADDRESS

P. O. Box 190369

CITY

Shrewsbury

STATE

Mo.

ZIP CODE

63119

7. PLANT SITE ADDRESS ☒ SAME AS LABEL

CITY

STATE

ZIP CODE

8. NAME OF PARENT FIRM

OFFICE USE ONLY

SECTION C - STATUS OF WASTE GENERATED (CHECK ONE)

9.

☒ SHIPPED OFF-SITE. Complete part 2, attach completed hazardous waste manifests, sign certification and transmit to the department.

10.

☐ REPORTABLE QUANTITY NOT GENERATED. Sign certification and transmit to the department. (Do not complete Part 2)

11.

☐ REPORTABLE QUANTITY GENERATED BUT NOT SHIPPED OFF-SITE THIS QUARTER. Sign certification and transmit to the department. (Do not complete Part 2)

SECTION D - COMMENTS

12.

SECTION E - CERTIFICATION STATEMENT

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

PRINT NAME

Randal F. Freese, Presi.

SIGNATURE

DATE

2-11-93

5-160-43

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3176

15 1992

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314 534-2436

HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584		Manifest Document No. 189834		2. Page 1 of 1		Information in the shaded areas is required by State Law.	
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119						A. Missouri Manifest Document Number 014923			
4. Generator's Phone (314) 647-4031						B. Gen. Site Address SAME			
5. Transporter 1 Company Name SAFETY-KLEEN CORP.				6. US EPA ID Number MOD 095486312		C. MO. Transporter's ID H-1273-7957			
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 314 441-0104			
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304						E. MO. Transporter's ID			
10. US EPA ID Number 5-160-43						F. Transporter's Phone			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER) a. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (D008, F005) (ERG#26)						12. Containers 2 DM		13. Total Quantity 192	
						14. Unit Wt/Vol. P		I. Waste No. EPA WASTE CODE F005	
								STATE	
								EPA WASTE CODE	
								STATE	
								EPA WASTE CODE	
								STATE	
								EPA WASTE CODE	
								STATE	
J. Additional Descriptions for Materials Listed Above						K. Handling Code (Facility Use Only)			
a. F003 D001 D006 D007 D008						Interim Final Comments			
b.						a. S01 154			
c.						b.			
d.						c.			
15. Special Handling Instructions and Additional Information 9241 45251881 489834 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name Barbara Kinderman				Signature Barbara Kinderman		Month Day Year 11/01/1992			
17. Transporter 1 Acknowledgement of Receipt of Materials						Date			
Printed/Typed Name Michael D. Neely				Signature Michael D. Neely		Month Day Year 11/01/1992			
18. Transporter 2 Acknowledgement of Receipt of Materials						Date			
Printed/Typed Name				Signature		Month Day Year			
19. Discrepancy Indication Space									
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name Maggie Wiseman				Signature Maggie Wiseman		Month Day Year 11/01/1992			

MISSOURI DNR FINAL COPY - PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.



NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)EPA ID NO. M00095486312
(DESIGNATED FACILITY)

4526 TOWNE CT

ADDRESS: ST CHARLES

MO 63304

OPTION A

Under manifest number 89834, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SQG CUSTOMERS ONLY
(PARTS WASHER AND
IMMERSION CLEANER
609 AND 699)

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgement(s) for five (5) years beyond the termination of the service contract.

WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
<input type="checkbox"/> Waste Petroleum Naphtha (105 - Mineral Spirits)	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGs) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
<input type="checkbox"/> Waste Petroleum Naphtha (140 - Mineral Spirits)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 609	F004, F002, F002, D006, D007, D008, D022,	Cresylic Acid 1, 2-dichlorobenzene Methylene chloride — Cadmium — Chromium — Lead — Chloroform	0.75 (non-waste water) 0.125 (non-waste water) 0.96 (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion Cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established Not Established
<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	0.05 (non-waste water)
<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	0.96 (non-waste water)
<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	0.41 (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water) Not Established
<input checked="" type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	0.59 (non-waste water) 0.75 (non-waste water) 0.33 (non-waste water) 0.33 (non-waste water) 0.15 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

* These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: EDWARD SIMON PAINTING

S-160-43-6100 XX 489834
M00985799584

EPA ID NO.:

Generator's Signature

Printed Name and Title of Generator:

Date:

5-160-43

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102
314-751-3176

NOV 10 1992

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314-634-2436

HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584		Manifest Document No. 154702		2. Page 1 of 1		Information in the shaded areas is required by State Law.									
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119						A. Missouri Manifest Document Number 0149230019											
4. Generator's Phone (314) 647-4031						B. G.S. (Gen. Site Address) SAME											
5. Transporter 1 Company Name SAFETY-KLEEN CORP.						C. MO. Transporter's ID H-123379											
6. US EPA ID Number MOD 095486312						D. Transporter's Phone 314 441-0104											
7. Transporter 2 Company Name						E. MO. Transporter's ID											
8. US EPA ID Number						F. Transporter's Phone											
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304						G. State Facility's ID HH-0023											
10. US EPA ID Number 5-160-43						H. Facility's Phone 314 441-0104											
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)						12. Containers		13. Total Quantity		14. Unit Wt/Vol.		I. Waste No.					
a. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (D008, F005) (ERG#26)						Z DM		192		P		EPA WASTE CODE F005 STATE					
b.												EPA WASTE CODE STATE					
c.												EPA WASTE CODE STATE					
d.												EPA WASTE CODE STATE					
J. Additional Descriptions for Materials Listed Above						K. Handling Code (Facility Use Only)											
a. F003 D001 D006 D007 D008						a. S01 T54											
b.						b.											
c.						c.											
d.						d.											
15. Special Handling Instructions and Additional Information 9245 46375788 854702 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:																	
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.																	
Printed/Typed Name Barb Kinderman						Signature Barb Kinderman						Month Day Year 11/10/92					
17. Transporter 1 Acknowledgement of Receipt of Materials												Date					
Printed/Typed Name MIKE ALBERT						Signature						Month Day Year 11/10/92					
18. Transporter 2 Acknowledgement of Receipt of Materials												Date					
Printed/Typed Name						Signature						Month Day Year					
19. Discrepancy Indication Space																	
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in item 19.																	
Printed/Typed Name MAGGIE WISEMAN						Signature Maggie Wiseman						Month Day Year 11/10/92					

MISSOURI DNR FINAL COPY - PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.

TO: **SAFETY-KLEEN CORP.**
(DESIGNATED FACILITY)
4526 TOWNE CT

EPA ID NO. **MOD095486312**
(DESIGNATED FACILITY)

ADDRESS: **ST CHARLES MO 63304**

OPTION A

Under manifest number 54702, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SOC CUSTOMER ON PARTS WASHER AND IMMERSION CLEANER 609 AND 699

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgement(s) for five (5) years beyond the termination of the service contract.

WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) ^o OR METHOD (FOR NON-WASTE WATER)
<input type="checkbox"/> Waste Petroleum Naphtha (105 - Mineral Spirits)	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) ≥ 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
<input type="checkbox"/> Waste Petroleum Naphtha (140 - Mineral Spirits)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 609	F004, F002, F002, D006, D007, D008, D022,	Cresylic Acid 1, 2-dichlorobenzene Methylene chloride — Cadmium — Chromium — Lead — Chloroform	0.75 (non-waste water) 0.125 (non-waste water) 0.96 (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion Cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's ≥ 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established Not Established
<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	0.05 (non-waste water)
<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	0.96 (non-waste water)
<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	0.41 (non-waste water)
<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
<input checked="" type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	0.59 (non-waste water) 0.75 (non-waste water) 0.33 (non-waste water) 0.33 (non-waste water) 0.15 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

* These treatment standards do not preclude reclamation prior to final disposition.
EDWARD SIMON PAINTING

5-160-43-6100 XX 854702
MCD985799584

Generator Company: _____

EPA ID NO.: _____

Generator's Signature

X Barb Kinderman

Date:

11/6/92

Printed Name and Title of Generator:

Barb Kinderman Secretary

5-160-43

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3176

HAZARDOUS WASTE MANIFEST

EMERGENCY RESPONSE
U.S. COAST GUARD

1-800-424-8802

CHEM TREC

1-800-424-9300

DEPT. OF NATURAL RESOURCES
314-534-2438

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584	Manifest Document No. 118906	2. Page 1 of 1	Information in the shaded areas is required by State Law.	
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119				A. Missouri Manifest Document Number 014923		
4. Generator's Phone (314) 647-4031				B. O.S.I. (Gen. Site Address) SAME		
5. Transporter 1 Company Name SAFETY-KLEEN CORP.		6. US EPA ID Number MOD 095486312		C. MO. Transporter's ID H-12731-797		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 314 441-0104		
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304		10. US EPA ID Number 5-160-43 MOD 095486312		E. MO. Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID HH-0023		
				H. Facility's Phone 314 441-0104		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)				12. Containers	13. Total Quantity	14. Unit Wt/Vol.
a. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (D008, F005) (ERG#26)				3 DM	219	P
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above				K. Handling Code (Facility Use Only)		
a. F003 D001				Interim Final Comments		
b. D006 D007 D008				S01 T54		
c.						
d.						
5. Special Handling Instructions and Additional Information 9249 47506019 218906 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:						
GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name Ruth H. Harte		Signature Ruth H. Harte		Month Day Year 11/21/03 192		
Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Michael D. Neely		Signature Michael D. Neely		Month Day Year 11/21/03 192		
Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year		
Repayment Indication Space						
Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name AGGIE WISEMAN		Signature AGGIE WISEMAN		Month Day Year		

MISSOURI DNR FINAL COPY - PART 1

COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED CITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

Safety-Kleen

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)

EPA ID NO. MO0095486312
(DESIGNATED FACILITY)

ADDRESS: 4526 Towne Ct St Charles MO 63304

OPTION A

Under manifest number 18906, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SOQ CUSTOMERS ONLY
(PARTS WASHER AND
IMMERSION CLEANER
609 AND 699)

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgment(s) for five (5) years beyond the termination of the service contract.

WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
<input type="checkbox"/> Waste Petroleum Naphtha	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGs) INCIN Not Established Not Established
<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 5.0 5.0 Not Established
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 609	F002, F004, D006, D007, D008, D022,	Cresylic Acid 1, 2-dichlorobenzene Methylene chloride — Cadmium — Chromium — Lead — Chloroform	0.75 0.125 0.96 1.0 5.0 5.0 Not Established
<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion Cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN 1.0 5.0 5.0 Not Established Not Established Not Established Not Established
<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	0.05
<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	0.96
<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	0.41
<input checked="" type="checkbox"/> Waste Paint Related Material	F005, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 36.0 33.0 28.0 28.0 0.75 INCIN, FSUBS, or RORGs 1.0 5.0 5.0
<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (This is a non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: Edward Simon Painting

EPA ID NO.: MO0985799584

Generator's Signature: X Ruth H. Hart

Date: 12-03-92

Printed Name and Title of Generator: Ruth H. Hart

5-160-43

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality
Waste Management ProgramP.O. Box 176 Jefferson City, Missouri 65102
314-751-3176

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314-634-2436

DEC 30 1992

HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-92

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584	Manifest Document No. 180213	2. Page 1 of 1	Information in the shaded areas is required by State Law.	
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119				A. Missouri Manifest Document Number 0014923		
4. Generator's Phone (314) 647-4031				B. Gen. Site Address SAME		
5. Transporter 1 Company Name SAFETY-KLEEN CORP.		6. US EPA ID Number MOD 095486312		C. MO. Transporter's ID H-1273		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 314 441-0104		
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304		10. US EPA ID Number 5-160-43		E. MO. Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID HH-0023		
				H. Facility's Phone 314 441-0104		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)				12. Containers	13. Total Quantity	14. Unit Wt/Vol
a. RQ WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (D008, F005) (ERG#26)				2	DM 192	P
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above				K. Handling Code (Facility Use Only)		
a. F003 D001				a. S01 T54		
b.				b.		
c.				c.		
d.				d.		
15. Special Handling Instructions and Additional Information 7253 48595987 580213 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, If I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name X Ruth H. Harte		Signature X Ruth H. Harte		Month Day Year 11 28 1992		
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name Michael D. Neely		Signature Michael D. Neely		Month Day Year 11 22 1992
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature		Month Day Year
19. Discrepancy Indication Space						
20. Designated Facility Owner or Operator; Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name Maggie Wiseman		Signature Maggie Wiseman		Month Day Year 11 22 1992		

MISSOURI DNR FINAL COPY - PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.



NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)EPA ID NO. M00095486312
(DESIGNATED FACILITY)

4520 TOWNE CT

ADDRESS: ST CHARLES MI 48304

Under manifest number 80213, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgement(s) for five (5) years beyond the termination of the service contract.

PLEASE CHECK THE APPROPRIATE BOXES	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	<input type="checkbox"/> Waste Petroleum Naphtha (105 - Mineral Spirits)	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGs) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
	<input type="checkbox"/> Waste Petroleum Naphtha (140 - Mineral Spirits)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 609	F004, F002, F002, D006, D007, D008, D022,	Cresylic Acid 1, 2-dichlorobenzene Methylene chloride — Cadmium — Chromium — Lead — Chloroform	3.2 0.75 (non-waste water) 6.2 0.125 (non-waste water) 33.0 0.96 (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion Cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established Not Established
	<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	5.0 0.05 (non-waste water)
	<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 0.96 (non-waste water)
	<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.0 0.41 (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water) Not Established
	<input type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	100.0 0.59 (non-waste water) 36.0 0.75 (non-waste water) 33.0 0.33 (non-waste water) 28.0 0.33 (non-waste water) 28.0 0.15 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
	<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition. 9253 5-160-43-6100 XX 540213
M00095486312

Generator Company: EDWARD SIMON PAINTING

EPA ID NO.:

Generator's Signature

X

Printed Name and Title of Generator:

Date:

12-28-92

ATTACHMENT 5

Generator's Hazardous Waste Report Summary

Manifest #	Service Date	No. of Containers	Wgt. ea.	Total Wgt. Picked up.	Waste Paint Related Materials Flammable Liquid	Cost.
0020	4-21-93	3	96	288	✓	\$325.00
0021	5-17-93	3	96	288	✓	325.00
0022	6-14-93	3	96	288	✓	\$325.00
		9		864		\$975.00



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM
P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
(314) 751-3176

GENERATOR'S HAZARDOUS WASTE
SUMMARY REPORT - PART I

BEFORE COPYING FOR ATTACH SITE IDENTIFICATION LABEL
OR ENTER:

GENERATOR'S NAME

EDWARD SIMON PAINTING
CONTACT: RANDAL F. FREESE
7220 MURDOCK AVENUE
SHREWSBURY, MO 63119

EPAID=MOD985799584

MOID=014923

NOTE: THE FEDERAL EPA AND MISSOURI GENERATOR I.D. NUMBERS ARE ASSIGNED
EXCLUSIVELY TO THE SITE WHERE WASTE IS PRODUCED. YOU MUST NOTIFY THE
DEPARTMENT IF THE ADDRESS FOR THE SITE OF GENERATION CHANGES.

NOTE ► PLEASE READ INSTRUCTIONS AND EITHER PRINT OR TYPE

SECTION A - REPORT IDENTIFICATION

1. TYPE OF REPORT (CHECK ONE)

☒ QUARTERLY ☐ ANNUAL

(IF ANNUAL CHECKED, PLACE X IN 6-30 BOX)

2. FOR THE PERIOD ENDING (CHECK ONE & FILL IN YEAR)

☐ 9-30-____ (YEAR) ☐ 12-31-____ (YEAR)

☐ 3-31-____ (YEAR) ☒ 6-30-93 (YEAR)

3. PAGE

1 OF 2

SECTION B - GENERATOR IDENTIFICATION

NOTE: Any change in either the mailing or site address from previous reports requires renotification to the Department.

4. GENERATOR'S NAME ☒ SAME AS LABEL

5. GENERATOR CONTACT PERSON (NAME) ☒ SAME AS LABEL

TELEPHONE NUMBER

(314) 647-4031

6. MAILING ADDRESS

P. O. Box 190369

CITY

Shrewsbury

STATE

Mo.

ZIP CODE

63119

7. PLANT SITE ADDRESS ☒ SAME AS LABEL

CITY

STATE

ZIP CODE

8. NAME OF PARENT FIRM

OFFICE USE ONLY

SECTION C - STATUS OF WASTE GENERATED (CHECK ONE)

9. ☒ SHIPPED OFF-SITE. Complete part 2, attach
completed hazardous waste manifests, sign
certification and transmit to the department.

10. ☐ REPORTABLE QUANTITY NOT GENERATED. Sign
certification and transmit to the department. (Do not
complete Part 2)

11. ☐ REPORTABLE QUANTITY GENERATED BUT NOT SHIPPED
OFF-SITE THIS QUARTER. Sign certification and transmit to
the department. (Do not complete Part 2)

SECTION D - COMMENTS

12.

SECTION E - CERTIFICATION STATEMENT

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

PRINT NAME

Randal F. Freese, Presi.

SIGNATURE

Randal F. Freese

DATE

7-13-93



MISSOURI DEPARTMENT OF NATURAL RESOURCES
HAZARDOUS WASTE PROGRAM

P.O. BOX 176
JEFFERSON CITY, MISSOURI 65102
(314) 751-3176

GENERATOR'S HAZARDOUS WASTE
REPORT SUMMARY SHEET - PART II

BEFORE COPYING FORM, ENTER THE GENERATOR'S NAME
AND IDENTIFICATION NUMBERS AS SHOWN ON PART I.

GENERATOR NAME

EDWARD SIMON PAINTING

EPA ID NUMBER

M.O.D.9.8.5.7.9.9.5.8.4

MISSOURI I.D. NUMBER

0.1.4.9.2.3

NOTE ► PLEASE READ INSTRUCTIONS AND EITHER PRINT OR TYPE

ATTENTION: Summarize all shipments made to the
Hazardous Waste Management Facility you have
identified in Section G below. Additional pages are
required for each off-site management facility utilized.

SECTION F - REPORT IDENTIFICATION (AS SHOWN ON PART I)

1. FOR THE PERIOD ENDING (CHECK ONE & FILL IN YEAR)

☐ 9-30- (YEAR)

☐ 12-31- (YEAR)

☐ 3-31- (YEAR)

☒ 6-30- 93 (YEAR)

2. PAGE

2 OF 2

SECTION G - FACILITY IDENTIFICATION

3. FACILITY NAME (NAME OF OFF-SITE LOCATION WHERE WASTE WAS DELIVERED)

SAFETY-KLEEN CORP.

4. FACILITY'S EPA I.D. NUMBER

M.O.D.0.9.5.4.8.6.3.1.2

5. FACILITY SITE ADDRESS

4526 TOWNE COURT

6. FACILITY'S MISSOURI I.D. NUMBER

H.H.O.O.2.3

CITY

ST. CHARLES,

STATE

MO.

ZIP CODE

63304

SECTION H - WASTE IDENTIFICATION

LINE	7. DESCRIPTION OF WASTE SHIPPED TO THE FACILITY LISTED ABOVE	8. DOT HAZARD CODE	9. EPA HAZARDOUS WASTE NUMBER	10. TAX CODE (SEE INST.)	11. TOTAL AMOUNT OF WASTE	12. UNIT OF MEAS.	13. SPECIFIC GRAVITY	14. FINAL HANDLING CODE
1	RQ WASTE PAINT RELATED MATERIAL FLAMMABLE LIQUID	.	F0005		864	P	.	T54
2	UN1263 (ERG #26) (F005, D006, D007)
3	
4	
5	
6	
7	
8	

SECTION I - TRANSPORTATION SERVICES UTILIZED

15. COMPANY NAME	16. MISSOURI ID NO.	17. US EPA I.D. NUMBER
a SAFETY-KLEEN CORP.	H-1.2.7.3	M.O.D.0.9.5.4.8.6.3.1.2
b	H-
c	H-

SECTION J - COMMENTS

18

5-160-43

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3176

HAZARDOUS WASTE MANIFEST

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-421-9300
DEPT. OF NATURAL RESOURCES
314-631-2436

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584		Manifest Document No. 24197		2. Page 1 of 1		Information in the shaded areas is required by State Law.							
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119						A. Missouri Manifest Document Number 0114923 0020									
4. Generator's Phone (314) 647-4031						B. Gen. Site Address SAME									
5. Transporter 1 Company Name SAFETY-KLEEN CORP.						C. MO. Transporter's ID H-1273									
6. US EPA ID Number MOD 095486312						D. Transporter's Phone 314 441-0104									
7. Transporter 2 Company Name						E. MO. Transporter's ID									
8. US EPA ID Number						F. Transporter's Phone									
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304						G. State Facility's ID HH-0023									
10. US EPA ID Number 5-160-43						H. Facility's Phone 314 441-0104									
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)						12. Containers		13. Total Quantity		14. Unit Wt/Vol.		15. Waste No.			
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005)(ERG#26)						3 DM		288		P		EPA WASTE CODE F005			
b.												EPA WASTE CODE STATE			
c.												EPA WASTE CODE STATE			
d.												EPA WASTE CODE STATE			
J. Additional Descriptions for Materials Listed Above						K. Handling Code (Facility Use Only)									
a. F003 D001						D006 D007 D008		Interim		Final		Comments			
b.								S01		T54					
c.															
d.															
15. Special Handling Instructions and Additional Information 9316 53080487 874197 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:															
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable International and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.															
Printed/Typed Name Barbara Kinderman						Signature Barbara Kinderman						Month Day Year 04/21/93			
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name Richard G Enright						Signature Richard G Enright		Month Day Year 04/21/93	
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name						Signature		Month Day Year	
19. Discrepancy Indication Space															
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.															
Printed/Typed Name Maggie Wiseman						Signature Maggie Wiseman						Month Day Year 04/22/93			

MISSOURI DNR FINAL COPY - PART 1
THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.



NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)EPA ID NO. _____
(DESIGNATED FACILITY)

4520 TUNNE CT

ADDRESS: _____

OPTION A

Under manifest number 74197, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgment(s) for five (5) years beyond the termination of the service contract.

PLEASE CHECK THE APPROPRIATE BOXES	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	<input type="checkbox"/> Waste Petroleum Naphtha (105)	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGS) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
	<input type="checkbox"/> Waste Petroleum Naphtha (140)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established
	<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
	<input type="checkbox"/> Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
	<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) Not Established
	<input checked="" type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
	<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

GENERATOR

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to final disposition. 9316 5-160-43-6100 XX 874197

Generator Company: EDWARD SIMON PAINTING

EPA ID NO.: MUD985799584

Generator's Signature: X Barbara KindermanDate: 04-21-93Printed Name and Title of Generator: Barbara Kinderman - Secretary

5-160-43

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3176

HAZARDOUS WASTE MANIFEST

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314-634-2436

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584		Manifest Document No. 02679		2. Page <u>1</u> of <u>1</u>		Information in the shaded areas is required by State Law.					
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119						A. Missouri Manifest Document Number 014923 0021							
4. Generator's Phone (314) 647-4031						B. G.S.I. (Gen. Site Address) SAME							
5. Transporter 1 Company Name SAFETY-KLEEN CORP.						C. MO. Transporter's ID. H-1273							
6. US EPA ID Number MOD 095486312						D. Transporter's Phone 314 441-0104							
7. Transporter 2 Company Name						E. MO. Transporter's ID							
8. US EPA ID Number						F. Transporter's Phone							
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304						G. State Facility's ID HH-0023							
10. US EPA ID Number 5-160-43						H. Facility's Phone 314 441-0104							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)						12. Containers		13. Total Quantity		14. Unit Wt/Vol.		I. Waste No.	
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005)(ERG#26)						3		DM 288		P		EPA WASTE CODE F005 STATE	
b.												EPA WASTE CODE STATE	
c.												EPA WASTE CODE STATE	
d.												EPA WASTE CODE STATE	
J. Additional Descriptions for Materials Listed Above						K. Handling Code (Facility Use Only)							
a. F003 D001						a. S01 T54							
b. D006 D007 D008						b.							
c.						c.							
d.						d.							
15. Special Handling Instructions and Additional Information 9320 54245527 202679 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name Ruth H. Harte						Signature <i>Ruth H. Harte</i>						Month Day Year 05/17/93	
17. Transporter 1 Acknowledgement of Receipt of Materials						Signature <i>Richard G. Enright</i>						Month Day Year 05/17/93	
Printed/Typed Name Richard G. Enright						Signature						Month Day Year	
18. Transporter 2 Acknowledgement of Receipt of Materials						Signature						Month Day Year	
Printed/Typed Name						Signature						Month Day Year	
19. Discrepancy Indication Space													
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.													
Printed/Typed Name MAGGIE WISEMAN						Signature <i>Maggie Wiseman</i>						Month Day Year 05/18/93	

MAY 10 1993

MISSOURI DNR FINAL COPY — PART 1
THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED
FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.



NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)EPA ID NO. MOD09586312
(DESIGNATED FACILITY)ADDRESS: 4526 Towne Ct. St. Charles, Mo 63304

OPTION A

Under manifest number 02679, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

OPTION B

SQG CUSTOMERS ONLY
(PARTS WASHER AND
IMMERSION CLEANER)
609 AND 699

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgement(s) for five (5) years beyond the termination of the service contract.

PLEASE CHECK THE APPROPRIATE BOXES	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
	<input type="checkbox"/> Waste Mineral Spirits (105)	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGs) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
	<input type="checkbox"/> Waste Mineral Spirits (140)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water)
	<input type="checkbox"/> Waste Mineral Spirits (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 609	F004, F002, F002, D006, D007, D008, D022,	Cresylic Acid 1, 2-dichlorobenzene Methylene chloride — Cadmium — Chromium — Lead — Chloroform	3.2 (non-waste water) 6.2 (non-waste water) 33.0 (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion Cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established Not Established
	<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
	<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	<input type="checkbox"/> Waste Mineral Spirits (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water) Not Established
	<input checked="" type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
	<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

* These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: _____

EPA ID NO.: MOD095799584

Generator's Signature

X

Ruth H. Harte

Date:

5-17-93

Printed Name and Title of Generator:

Ruth H. Harte Office Mgr.

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

PART NO. 1328 (11/92)

GENERATOR

5-160-43

INSTRUCTIONS FOR THE COM-
PLETION OF THIS FORM ARE ON
REVERSE SIDE.THIS DOCUMENT MUST BE USED
FOR ALL MISSOURI-DESTINED
SHIPMENTS.

MISSOURI DEPARTMENT OF NATURAL RESOURCES

Division of Environmental Quality

Waste Management Program

P.O. Box 176 Jefferson City, Missouri 65102

314-751-3176

EMERGENCY RESPONSE
U.S. COAST GUARD
1-800-424-8802
CHEM TREC
1-800-424-9300
DEPT. OF NATURAL RESOURCES
314-634-2438

HAZARDOUS WASTE MANIFEST

Please print or type (Form designed for use on elite (12-Pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. MOD 985799584		Manifest Document No. 31141		2. Page 1 of 1		Information in the shaded areas is required by State Law.	
3. Generator's Name and Mailing Address EDWARD SIMON PAINTING 7220 MURDOCH AVE SHREWSBURY MO 63119						A. Missouri Manifest Document Number 014923 0022			
4. Generator's Phone (314) 647-4031						B. C.S.I. (Gen. Site Address) SAME			
5. Transporter 1 Company Name SAFETY-KLEEN CORP.						C. MO. Transporter's ID H-1273 012391			
6. US EPA ID Number MOD 095486312						D. Transporter's Phone 314 441-0104			
7. Transporter 2 Company Name						E. MO. Transporter's ID			
8. US EPA ID Number						F. Transporter's Phone			
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 4526 TOWNE COURT ST CHARLES MO 63304						G. State Facility's ID HH-0023			
10. US EPA ID Number 5-160-43						H. Facility's Phone 314 441-0104			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID NUMBER)						12. Containers		13. Total Quantity	14. Unit Wt/Vol.
a. WASTE PAINT RELATED MATERIAL 3 UN1263 PG II (F005)(ERG#26)						3 DM		288	P
b.									
c.									
d.									
J. Additional Descriptions for Materials Listed Above						K. Handling Code (Facility Use Only)			
a. F003 D001 D006 D007 D008						Interim S01 Final T54 Comments			
b.						a.			
c.						c.			
d.						d.			
15. Special Handling Instructions and Additional Information 9324 55364301 531141 5-160-43-6100 XX EMERGENCY RESP#708-888-4660 24HR. IF UNDELIVERABLE RETURN TO GENERATOR. IF UNDELIVERABLE, RETURN T SKDOT# A: 523 B: C: D:									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and applicable state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name Barbara Kinderman						Signature <i>Barbara Kinderman</i>		Month Day Year 06/14/93	
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name Richard G Enright		Signature <i>Richard G Enright</i>	
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name		Signature	
19. Discrepancy Indication Space									
20. Designated Facility Owner or Operator: Certification of receipt and handling of hazardous materials covered by this manifest except as noted in Item 19.									
Printed/Typed Name MAGGIE WISEMAN						Signature <i>Maggie Wiseman</i>		Month Day Year 10/15/93	

GENERATOR

TRANSPORTER

FACILITY

MISSOURI DNR FINAL COPY - PART 1

THIS COPY MUST BE SENT BACK TO THE GENERATOR BY THE DESIGNATED FACILITY THEN TRANSMITTED TO THE DEPARTMENT BY THE GENERATOR.

JUN 17 1993



5-160-43

NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.
(DESIGNATED FACILITY)EPA ID NO. MOJ095486312
(DESIGNATED FACILITY)

4526 TOWNE CT

ADDRESS: ST CHARLES

MO 63304

Under manifest number 31141, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. _____, or sales/service acknowledgement No. _____, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgment(s) for five (5) years beyond the termination of the service contract.

✓	WASTE NAME	EPA * WASTE CODE	THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS	TREATMENT STANDARD (mg/l) OR METHOD (FOR NON-WASTE WATER)
PLEASE CHECK THE APPROPRIATE BOXES	<input type="checkbox"/> Waste Petroleum Naphtha (105)	D001, D018, D039,	Ignitable Liquid (High TOC Subcategory) Halogenated Organic Compounds (HOC's) \geq 1000 mg/l Benzene Tetrachloroethylene	Incineration (INCIN), fuel substitution (FSUBS) or recovery (RORGs) (40 CFR 268.42) (non-waste water) INCIN (40 CFR 268.42) (non-waste water) Not Established Not Established
	<input type="checkbox"/> Waste Petroleum Naphtha (140)	D001,	Ignitable Liquid (High TOC Subcategory)	INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (sludges from Safety-Kleen Service Center Operations)	D001, D006, D007, D008, D039,	All of the above, plus: — Cadmium — Chromium — Lead — Tetrachloroethylene	1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established
	<input type="checkbox"/> Waste Compound Cleaning Liquid/ Immersion cleaner 699	D006, D007, D008, D018, D021, D027, D039, D040,	HOC's \geq 1000 mg/l — Cadmium — Chromium — Lead — Benzene — Chlorobenzene — 1, 4-Dichlorobenzene — Tetrachloroethylene — Trichloroethylene	INCIN (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water) Not Established Not Established Not Established Not Established
	<input type="checkbox"/> Waste Perchloroethylene	F002,	Tetrachloroethylene	5.6 (non-waste water)
	<input type="checkbox"/> Waste Perc. Filters This hazardous debris is subject to the alternative treatment standards of 40CFR 268.45.	F002,	Tetrachloroethylene	5.6 (non-waste water)
	<input type="checkbox"/> Waste Trichlorotrifluoroethane	F002,	Trichlorotrifluoroethane	28.0 (non-waste water)
	<input type="checkbox"/> Waste 1,1,1 Trichloroethane	F002,	1, 1, 1 Trichloroethane	5.6 (non-waste water)
	<input type="checkbox"/> Waste Petroleum Naphtha (Dry Cleaning)	D001, D039,	Ignitable Liquid (High TOC Subcategory) Tetrachloroethylene	INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water) Not Established
	<input checked="" type="checkbox"/> Waste Paint Related Material	F003, F005, F003, F005, F003, F003, D001, D006, D007, D008,	Acetone Methyl Ethyl Ketone Methyl Isobutyl Ketone Toluene Xylene Methanol Ignitable Liquid (High TOC Subcategory) Cadmium Chromium Lead (TOC Subcategory)	160.0 (non-waste water) 36.0 (non-waste water) 33.0 (non-waste water) 28.0 (non-waste water) 28.0 (non-waste water) 0.75 (non-waste water) INCIN, FSUBS, or RORGs (40 CFR 268.42) (non-waste water) 1.0 (non-waste water) 5.0 (non-waste water) 5.0 (non-waste water)
	<input type="checkbox"/> Waste Antifreeze	D008, D039,	Lead Tetrachloroethylene	5.0 (non-waste water) Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

* These treatment standards do not preclude reclamation prior to final disposition. 9324

5-160-43-6100 XX

531141

EDWARD SIMON PAINTING

MOD985799584

Generator Company: _____

EPA ID NO.: _____

Generator's Signature: X Barbara KindermanDate: 6-14-93Printed Name and Title of Generator: Barbara Kinderman, Secretary

ATTACHMENT 6

Please refer to the Instructions for Filing Notification before completing this form. The information requested here is required by law (Section 3010 of the Resource Conservation and Recovery Act).



Notification of Regulated Waste Activity

United States Environmental Protection Agency

Date Received
(For Official Use Only)

I. Installation's EPA ID Number (Mark 'X' in the appropriate box)



A. First Notification

B. Subsequent Notification
(complete item C)

C. Installation's EPA ID Number

II. Name of Installation (Include company and specific site name)

Edward Simon Painting

III. Location of Installation (physical address not P.O. Box or Route Number)

Street

7220 MURDOCH AVE

Street (continued)

City or Town

Shrewsbury

State

ZIP Code

MO 63119-6369

County Code

County Name

St. Louis

IV. Installation Mailing Address (See Instructions)

Street or P.O. Box

SAME

City or Town

State

ZIP Code

V. Installation Contact (Person to be contacted regarding waste activities at site)

Name (last)

(first)

FREESE

RANDAL F

Job Title

Phone Number (area code and number)

PRESIDENT

314-647-4031

VI. Installation Contact Address (See Instructions)

A. Contact Address
Location Mailing

B. Street or P.O. Box



7220 MURDOCH AVE

City or Town

State

ZIP Code

SHREWSBURY

MO 63119-6369

VII. Ownership (See Instructions)

A. Name of Installation's Local Owner

RANDAL F FREESE

Street, P.O. Box, or Route Number

7220 MURDOCH AVE

City or Town

State

ZIP Code

SHREWSBURY

MISSOURI

63119-6369

Phone Number (area code and number)

B. Land Type

C. Owner Type

D. Change of Owner
Indicator(Date Changed)
Month Day Year

314-647-4031



Yes

No



ID - For Official Use Only

VIII. Type of Regulated Waste Activity (Mark 'X' in the appropriate boxes. Refer to instructions.)

A. Hazardous Waste Activity

1. Generator (See instructions)
- ☒ a. Greater than 1000kg/mo (2,200 lbs.)
- ☒ b. 100 to 1000 kg/mo (220 - 2,200 lbs.)
- ☐ c. Less than 100 kg/mo (220 lbs.)
2. Transporter (Indicate Mode in boxes 1-5 below)
- ☐ a. For own waste only
- ☐ b. For commercial purposes
- Mode of Transportation
- ☐ 1. Air
- ☐ 2. Rail
- ☐ 3. Highway
- ☐ 4. Water
- ☐ 5. Other - specify
3. Treater, Storer, Disposer (at installation)
Note: A permit is required for this activity; see instructions.
4. Hazardous Waste Fuel
- ☐ a. Generator Marketing to Burner
- ☐ b. Other Marketer
- ☐ c. Burner - Indicate device(s) - Type of Combustion Device
- ☐ 1. Utility Boiler
- ☐ 2. Industrial Boiler
- ☐ 3. Industrial Furnace
- ☐ 5. Underground Injection Control

B. Used Oil Fuel Activities

1. Off-Specification Used Oil Fuel
- ☐ a. Generator Marketing to Burner
- ☐ b. Other Marketer
- ☐ c. Burner - Indicate device(s) - Type of Combustion Device
- ☐ 1. Utility Boiler
- ☐ 2. Industrial Boiler
- ☐ 3. Industrial Furnace
2. Specification Used Oil Fuel Marketer (or On-site Burner) Who First Claims the Oil Meets the Specification

IX. Description of Regulated Wastes (Use additional sheets if necessary)

A. Characteristics of Nonlisted Hazardous Wastes. Mark 'X' in the boxes corresponding to the characteristics of non-listed hazardous wastes your insulation handles. (See 40 CFR Parts 261.20 - 261.24)

1. Ignitable (D001) ☒ 2. Corrosive (D002) ☐ 3. Reactive (D003) ☐ 4. EP Toxic (D000) ☐
- (List specific EPA hazardous waste number(s) for the EP Toxic contaminant(s))

B. Listed Hazardous Wastes. (See 40 CFR 261.31 - 33. See instructions if you need to list more than 12 waste codes.)

1	2	3	4	5	6
7	8	9	10	11	12

C. Other Wastes. (State or other wastes requiring an ID number. See instructions.)

1	2	3	4	5	6

X. Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment.

Signature

X Ruth H. Harte

Name and Official Title (type or print)

X Office Manager

Date Signed

07-22-91

XI. Comments

Note: Mail completed form to the appropriate EPA Regional or State Office. (See Section II of the booklet for addresses.)

ATTACHMENT 7

Health 1
Flammability 2
Reactivity 0

MATERIAL SAFETY DATA SHEET

PRODUCT CODE:

Polomyx

DATE OF PREP.

February 7, 1990

Section I

MANUFACTURER: RAFFI & SWANSON, INC.
100 EAMES STREET
WILMINGTON, MA 01887

MANUFACTURERS' CODE IDENTIFICATION:

Polomyx Series: 402, 404, 406, 4023, 4025, 4043, 4045, 4063,
4065; 6002, 6004, 6006

EMERGENCY TELEPHONE NO.: 617-933-4200

PRODUCT CLASS:

Solvent Based Emulsion

TRADE NAME: Polomyx

THIS PRODUCT IS A MIXTURE CONTAINING ONE OR MORE HAZARDOUS INGREDIENTS.

FORMATION ON THE COMPOSITION OF RAFFI & SWANSON, INC. PRODUCTS IS CONFIDENTIAL PROPRIETARY INFORMATION AND IS PROVIDED SOLELY TO AID IN SAFE HANDLING OF THESE MATERIALS. USE OR DISCLOSURE FOR ANY OTHER PURPOSE IS EXPRESSLY FORBIDDEN.

Section II — HAZARDOUS INGREDIENTS

INGREDIENTS	CAS NUMBER	APPROX. PERCENT BY WEIGHT	TLV		LEL % BY VOL	VAPOR PRESSURE mm of Hg
			PPM	mg/m ³		
Mineral Spirits	8052-41-3	28±3	100		0.9	10
also contains in non-hazardous form:						
Silica (dispersed in liquid)	7631-86-9	--	-----Not Applicable-----			
<u>HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: (HMIS)</u>						
Health: 1, Flammability: 2, Reactivity: 0, Personal Protection: I						
Volatile Organic Content (VOC): See Section IX						
Mixture does not contain any known or suspect carcinogen according to ACGIH, OSHA, NTP or IARC.						

Section III — PHYSICAL DATA

VAPORATION RATE: ☐ FASTER ☒ SLOWER, THAN ETHERVAPOR DENSITY: ☒ HEAVIER ☐ LIGHTER, THAN AIR

BOILING RANGE: 212°-390°F PERCENT VOLATILE BY VOL: 84±3%

WEIGHT PER GAL: 8.38# ± .02#

Section IV — FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION:

FLASH POINT (closed cup): 155°F Actual

LEL: 0.9%

DOT: Combustible Liquid

OSHA: Combustible Liquid-Class IIIA

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical or foam.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Keep containers tightly closed. Isolate from heat, sparks and open flame. Do not apply to hot surfaces. Closed containers may explode when exposed to extreme heat.

FIRE FIGHTING PROCEDURES: Water may be ineffective. Water may be used to cool closed containers. Irritating or toxic gases may be present. Self-contained breathing apparatus.

Section V — HEALTH HAZARD DATA (Based on data for individual ingredients)

THRESHOLD LIMIT VALUE - See Section II

EFFECTS OF OVEREXPOSURE

CHRONIC TOXICITY: Not known to produce chronic or cumulative effects with exposures within recommended guidelines.

INHALATION: Vapor irritating to eyes, nose, and throat. Can cause headache, dizziness, nausea, weakness, loss of consciousness. Prolonged overexposure may cause permanent injury.

SKIN: Brief contact not expected to be harmful.

Prolonged and repeated contact may cause drying of the skin, and absorption of harmful amounts.

EYE CONTACT: Burning and irritation.

INGESTION: Do not take internally. May cause nausea, vomiting, diarrhea and other toxic effects.

EMERGENCY AND FIRST AID PROCEDURES

INHALATION: Provide fresh air. Give artificial respiration or oxygen if necessary. CALL A PHYSICIAN.

SKIN: Wash thoroughly with soap and water. Remove contaminated clothing and shoes. Wash clothes thoroughly before re-use.

EYE CONTACT: Flush with water for at least 15 minutes. SEE PHYSICIAN.

INGESTION: DO NOT INDUCE VOMITING.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. CALL A PHYSICIAN.

Section VI — REACTIVITY DATA

STABILITY: ☐ UNSTABLE ☒ STABLE

HAZARDOUS POLYMERIZATION: ☐ MAY OCCUR ☒ WILL NOT OCCUR

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion produces carbon monoxide and carbon dioxide. Unidentified organic compounds may be formed.

MATERIALS AND CONDITIONS TO AVOID: Strong acids, strong alkalis, strong oxidizers.

Section VII — SPILL OR LEAK PROCEDURES

ACTIONS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all sources of ignition. Avoid breathing vapors. Ventilate area. Remove with inert absorbent and non-sparking tools.

WASTE DISPOSAL METHOD: Incinerate in approved facility. Do not incinerate closed containers. Dispose in accordance with local, state and federal regulations.

Section VIII — SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Avoid breathing concentrated vapors or overspray particles if sprayed. In confined or poorly ventilated areas, use NIOSH approved mask with chemical canister or supplied air.

VENTILATION: Provide general mechanical ventilation or local exhaust ventilation sufficient to keep concentration of solvent vapors below 100 PPM.

PROTECTIVE GLOVES: Use chemical resistant, impervious gloves for prolonged or repeated contact.

EYE PROTECTION: Safety goggles or face shield where splashes can occur.

OTHER PROTECTIVE EQUIPMENT:

Section IX — SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: ☐ FLAMMABLE ☒ COMBUSTIBLE
Keep in closed containers. Avoid sparks or flame when handling. Can be stored under ambient conditions. Keep closures tight and containers upright to prevent leakage.

OTHER PRECAUTIONS: Avoid prolonged and repeated contact with the skin. Use good personal hygiene practices. Wash hands thoroughly before eating/drinking/smoking/using toilet facilities.

LC (1.5 #/gal-water) 540 g/l

for Polomyx Series: 402, 404, 4023, 4025, 4043, 4045, 6002, 6004

LC (4.9 #/gal-water) 588 g/l

for Polomyx Series: 406, 4063, 4065, 6006



MATERIAL SAFETY DATA SHEET For Coatings, Resins and Related Materials

SECTION I — PRODUCT IDENTIFICATION

MANUFACTURER: Surface Protection Industries
3411 East Fifteenth Street
Los Angeles, CA 90023

PRODUCT CLASS: 43 Interior Application

TRADE NAME: Zolatone Low Odor Multicolor

PRODUCT CODE: 43-Line.

C.A.S. NUMBER: Not Applicable.

INFORMATION PHONE: (213) 269-9231

EMERGENCY PHONE: (213) 269-9231

HAZARD RATINGS: none → extreme
0 → 4

Health - 2

Fire - 2

Reactivity - 0

Personal Protection — H

SECTION II — HAZARDOUS INGREDIENTS

INGREDIENTS	CAS#	WT. %	— — — EXPOSURE LIMITS — — —		
			ACGIH/TLV	OSHA/PEL	mmHG/VP
Mineral Spirits	64741-41-9	< 5.	100	ppm 500	ppm 2
			STEL = 200		
Light Aromatic Nap.	64742-95-6	< 5.	100	ppm 100	ppm 2.7
			STEL = 150		
Petroleum Naphtha	64642-48-9	25.	100	ppm 100	ppm 2.9
			STEL = 150		
Pigment White 6	13463-67-7	< 5.	10	mg/M3 6	mg/M3 0
Magnesium Silicate Hydrate	14801-96-6	10.	6	mg/M3 5	mg/m3 0
			STEL = 10	10	

***ALL Ingredients in this product are listed in the T.S.C.A. Inventory.

NOTE: If any chemical listed above is followed by (1), that chemical is subject to the reporting requirements of SARA III, Section 313 and 40 CFR 372!

SECTION III — PHYSICAL DATA

BOILING RANGE: 310 - 405 Deg. F

EVAP. RATE: Slower than n-BUTyl Acetate

VOLATILES VOLUME: 83.7%

APPEARANCE: Colored Enamel Droplets in Water

V.O.C.: 570 g/L

VAPOR DENSITY: Heavier than air

LIQUID DENSITY: Heavier than water

WGT. PER GALLON: 8.40 pounds

SPEC. GRAVITY: 1.01

SECTION IV — FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASS: II

FLASH POINT: 168° F LEL: 1.0

EXTINGUISHING MEDIA: Carbon dioxide, foam, dry chemical, water fog.

SPECIAL FIREFIGHTING PROCEDURES: Use water only as a fog.
Handle as a combustible liquid. Self contained breathing apparatus should be used when fighting fire.

UNUSUAL FIRE & EXPLOSION HAZARDS: Keep work area free of sources of ignition. Pressure build-up from heat may explode containers. Water may be used to cool containers.

SECTION V — HEALTH HAZARD DATA

PERMISSIBLE EXPOSURE LEVEL: See section II.

EFFECTS OF OVEREXPOSURE:

Inhalation: Nausea, headache, dizziness.

Skin: Mild irritation due to drying of the skin.

Eyes: Irritation possible.

Swallowing: Nausea, vomiting, gastrointestinal irritation.

FIRST AID:

Inhalation: Remove to fresh air. Resuscitation if UNCONSCIOUS.

Skin: Wash with soap and water. Seek medical attention if necessary.

Eyes: Flush with water for 15 minutes. Consult a doctor.

Swallowing: Drink 1 or 2 glasses of water to dilute DO NOT INDUCE VOMITING. See a doctor.

SECTION VI — REACTIVITY DATA

STABILITY: [X] Stable [] Unstable

HAZARDOUS POLYMERIZATION: [] May Occur [X] Will not occur

INCOMPATIBILITY: Avoid materials which react with water.

CONDITIONS TO AVOID: Sparks, open flames or other sources of ignition.

HAZARDOUS DECOMPOSITION PRODUCTS:

Incomplete combustion may release carbon monoxide.

SECTION VII — SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Avoid contact with sparks, open flames, or other sources of ignition.

Use absorbent materials and non-sparking tools. Avoid breathing of vapors. Provide adequate ventilation in the area.

WASTE DISPOSAL METHOD: Dispose of material in accordance with all regulations.

SECTION VIII — SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Use in well ventilated areas. If vapor concentrations exceed TLV'S, use appropriate respirators to avoid excess exposure. Without ventilation, exposure limit may be exceeded and air line respirators and hoods may be needed.

VENTILATION: Exhaust of vapors is necessary. Ventilation must be adequate to keep air contaminants below TLV limits.

PROTECTIVE GLOVES: Should be worn if contact with product is expected.

EYE PROTECTION: Goggles and/or face shield should be worn to protect against splashing.

OTHER PROTECTIVE EQUIPMENT: Protective apron should be worn if splashing is expected.

SECTION IX — SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Avoid freezing of product. (temperatures below 32°F). Avoid storing in high temperature areas or near fire, flame, or other sources of ignition.

OTHER PRECAUTIONS: Practice good personal hygiene. Keep closure tight and container upright to prevent leakage. Store out of sun and away from heat. Do not use near heat, sparks, open flames, or other sources of ignition. Do not get into eyes or on skin. Avoid prolonged breathing of vapors. Use explosion proof equipment.

U.S. Department of Transportation Classification:
COMBUSTIBLE LIQUID

U.S.D.O.T. Proper shipping name: PAINT

I.D. NUMBER: UN 1263

EMERGENCY RESPONSE GUIDEBOOK: GUIDE 26

EMERGENCY CONTACT: "CHEMTREC" 1-800-424-9300 This telephone number is to be used ONLY in the case of emergencies involving a spill, leak, fire, exposure or accidents involving chemicals.

Because we cannot anticipate or control the many different conditions under which this information and our product may be used, we cannot guarantee the applicability of this information or the suitability of our products in any individual situation. For the same reason, the products discussed are sold without warranty, expressed or implied.

MSDS Category Reference: Latex

P. 1 of 4

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME

Brod Dugan Company
2145 Schuetz Road
St. Louis, Mo 63146

EMERGENCY TELEPHONE NO.

CHEMTREC
(800) 424-9300

DATE OF PREPARATION Oct, 1991

INFORMATION TELEPHONE NO.

(314) 567-1111

NAME OF PREPARER: S. Crouse

===== SECTION II - PRODUCT IDENTIFICATION =====

Acrylastic Acrylic Latex High Gloss enamel
Acrylastic House & Trim (Medium Gloss) Enamel
Acrylic Latex Adhesive Sealant w/Silicone
Acry-Vinyl Latex House Paint
Block Filler
Controlz
Drywall Prep Coat
Field Marking Latex
Galvanized Metal Primer
Heavy Duty Acrylic Block Filler
Home Pride Interior Flat Latex
Imperial Tint Flat Latex
Imperial Tint Latex Semi-Gloss Enamel
New Flat Latex Wall Paint
One-Coat Eggshell Enamel
One-Coat Semi-Gloss Enamel
Painters' PVA Vinyl Primer
Penthouse Interior Flat Latex
Penthouse PVA Primer Sealer
Penthouse Semi-Gloss Enamel
Penthouse Velvet Latex
Prepcoat Plus
Prime-It 2000
Red-I-Mix Joint Cement
Qure-All Interior Flat Latex
Regency Park Latex Eggshell Enamel
Securz Acrylic Bonding Primer
Solidhide Interior Flat Latex
Speed Satin Primer Sealer
Suburban Interior Flat Latex
Texture Paint
Tough-Gard Acrylic-Epoxy Enamel, Part A
Tuxedo Park Flat Enamel
Unicoat Flat Acrylic Latex House Paint
Vinogard Latex House Paint
Vinyl Adhesive, Hard-to-Hang
" " , X-100
Wallcote Flat
Wallglo Semi-Gloss Enamel
Wallmate Flat
Weathershield Exterior Acrylic Solid Stain

Latex

P. 2 of 4

===== SECTION III - HAZARDOUS INGREDIENTS =====
% wt.

ETHYLENE GLYCOL, CAS# 107-21-1 <5.0

SILICA, CAS# 1317-95-9 or 14808-60-7 0-7.0
(except Block Filler, 35.0)

===== SECTION IV - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING RANGE: Above 212 Deg. F. VAPOR DENSITY: Heavier than air
EVAPORATION RATE: Slower than Ether
SOLUBILITY IN WATER: Dilutable
APPEARANCE & ODOR: opaque fluid or paste, with mild ammonia odor

===== SECTION V - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: Does not flash
FLAMMABLE LIMITS IN AIR BY VOLUME: LOWER: UPPER:
Does not apply

EXTINGUISHING MEDIA: Water Fog

SPECIAL FIREFIGHTING PROCEDURES: Water may be useful in cooling containers exposed to heat or flame. Dried film can burn. Use water, foam, CO2 or dry chemical to extinguish. Self-contained breathing apparatus and protective clothing should be worn in fighting fires.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers exposed to extreme heat may rupture due to pressure buildup. Product will not burn, but may spatter if temperature exceeds boiling point of water. Dried solids can burn, giving off oxides of carbon.

===== SECTION VI - REACTIVITY DATA =====

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Thermal decomposition or burning may produce carbon dioxide and carbon monoxide.

CONDITIONS TO AVOID: Avoid storage temperatures over 212 deg. F.

INCOMPATIBILITY (Materials to Avoid): Avoid materials that react with water.

===== SECTION VII - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Vapor or mist can cause headache, nausea and irritation of the nose, throat, eyes and lungs.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Prolonged or repeated contact may cause reddening of the skin and eye irritation.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Not applicable

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Ingestion of excessive quantities may cause irritation of the digestive tract.

HEALTH HAZARDS (ACUTE AND CHRONIC):

Acute- See health hazard data listed above.

Chronic- None known.

CARCINOGENICITY:

NTP? No, IARC MONOGRAPHS? Yes, OSHA REGULATED? No
Crystalline silica is a suspected cancer hazard, based on animal data. There is limited evidence for carcinogenicity in humans. Hazard is from respirable silica dust, which is minimal while bound in film.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

May aggravate respiratory conditions.

EMERGENCY AND FIRST AID PROCEDURES:

Eye contact- Flush eyes with clean water for at least 15 minutes, occasionally lifting eyelids. Consult physician if irritation persists.

Skin contact- Remove contaminated clothing. Wash effected skin areas thoroughly with soap and water. Wash contaminated clothing before reuse.

Inhalation- Remove victim to fresh air.

Ingestion- Do not induce vomiting. If conscious, give two glasses of water to drink. Call a physician.

==== SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE ====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Keep spectators away. Floor may be slippery. Use care to avoid falling. Dike and contain spill with inert material (ie: sand, earth). Material should be collected for recovery or disposal.

WASTE DISPOSAL METHOD:

Conventional methods in compliance with local, State and Federal Regulations. Do not incinerate sealed containers.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Protect from freezing. Keep containers tightly closed and upright to prevent leakage. Use with adequate ventilation. Avoid contact with skin and clothing. Wash thoroughly after handling.

OTHER PRECAUTIONS:

Do not take internally! Close container after each use. Avoid contact with eyes, and prolonged contact with skin, or breathing of spray mist. Keep away from children! If sanding film, wear a dust particle mask to avoid breathing of sanding dust.

===== SECTION IX - CONTROL MEASURES =====

RESPIRATORY PROTECTION:

None required if good ventilation is maintained. Use MSHA/NIOSH approved respirator in poorly ventilated areas.

VENTILATION:

Provide sufficient local ventilation or general exhaust as needed.

PROTECTIVE GLOVES: Use gloves impervious to water and soap.

EYE PROTECTION: Safety glasses with side shields for splash and mist protection.

OTHER PROTECTIVE EQUIPMENT: Clothing adequate to protect skin. It is suggested that a source of clean water be available in the work area for flushing eyes and skin.

HYGENIC PRACTICES: Wash hands before eating, smoking or using the washroom.

===== SECTION X - DISCLAIMER =====

The information in this MSDS was obtained from sources we believe are reliable. However, the information is provided without representation or warranty regarding its accuracy or correctness. We do not assume responsibility, and expressly disclaim liability for loss, damage or expense arising out of mishandling, storage, use or disposal of this product.

Edward Simon Paints
Mural Spirits Based:
Paints
Stains
Etc.

MSDS Category Reference: MS

P. 1 of 4

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME

Brod-Dugan Company
2145 Schuetz Road
St. Louis, Mo 63146

DATE OF PREPARATION: Dec., 1991

EMERGENCY TELEPHONE NO.

CHEMTREC
(800) 424-9300

INFORMATION TELEPHONE NO.

(314) 567-1111

NAME OF PREPARER: S. Crouse

===== SECTION II - PRODUCT IDENTIFICATION =====

#16 Aluminum
#7070 Bonding Primer
All Purpose Alkyd Enamel
Bronztone Alkyd Satin Enamel
Exterior Alkyd Flat
Floor Guard Enamel
Imperial Tint Alkyd Semi-Gloss Enamel
Imperial Tint Flat Oil House Paint
Natural Hue Interior Wiping Stain
Painters' Enamel Undercoat
Penthouse Enamel Undercoat
Penthouse Sash & Trim Enamel
(all colors except Industrial Yellow)
Pigmented Primer-Sealer
Rocket Floor Enamel
Rocket Gloss Enamel
Rocket House Paint
Royal Gard Gloss Enamel
Royal Gard Satin Enamel
Rustop Rust Preventative Paint
Satin-Glo Supreme Eggshell Enamel
Standard Oil Gloss Alkyd Enamel
Studio Alkyd Eggshell Enamel
Studio Alkyd Flat
Studio Alkyd Semi-Gloss Enamel
Superhide Gloss House Paint
Tough-Gard Polyurethane Enamel
(all colors except Safety Orange, Safety Yellow)
Tough-Gard Silicone-Alkyd Gloss Enamel
Tuxedo-Porcelyte Epoxy Gloss Enamel
Tuxedo-Porcelyte Epoxy Semi-Gloss Enamel
Weathershield Exterior Solid Stain
Weathershield Semi-Transparent Stain

MS

P. 2 of 4

===== SECTION III - HAZARDOUS INGREDIENTS =====

ALIPHATIC HYDROCARBON SOLVENT, CAS# 8052-41-3 % wt.
(Stoddard solvent) 20-85

SILICA, CAS# 14808-60-7 or #1317-95-9 <6.0
(except Bronztone Alkyd Satin, 33%)

===== SECTION IV - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING RANGE: 280-320 Deg. F VAPOR DENSITY: Heavier than air
EVAPORATION RATE: Slower than Ether
SOLUBILITY IN WATER: Not Soluble
APPEARANCE & ODOR: opaque fluid, with mild naphtha odor

===== SECTION V - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: 102 Deg. F., T.C.C.
FLAMMABLE LIMITS IN AIR BY VOLUME: LOWER: 0.7% UPPER: 7.0%

EXTINGUISHING MEDIA: Foam, CO2, Dry Chemical, Water Fog

SPECIAL FIREFIGHTING PROCEDURES: Do not use water stream on burning liquid. Cool exposed containers with water. Self-contained breathing apparatus and full protective equipment should be worn in fighting fires involving chemicals.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may explode when exposed to fire. Overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Vapors are heavier than air and may travel along the ground, or be moved by ventilation, and ignited by flames or ignition sources at locations away from material handling point.

===== SECTION VI - REACTIVITY DATA =====

STABILITY: Stable
HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Burning may produce carbon dioxide, carbon monoxide and organic acids.

CONDITIONS TO AVOID: Excessive heat, sparks or open flame.
INCOMPATIBILITY (Materials to Avoid): Strong oxidizing agents.

===== SECTION VII - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:
Excessive inhalation of vapors can cause nasal and respiratory irritation. dizziness, weakness, fatigue, nausea and headache. Massive overexposure may cause narcosis (central nervous system depression), unconsciousness and death. Repeated excessive exposures may cause chronic central nervous system effects.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Eye contact- Severe irritation, redness, tearing and blurred vision.

Skin contact- Prolonged or repeated exposure can cause moderate irritation, defatting and dermatitis.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

None indicated.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into lungs can cause chemical pneumonitis, which can be fatal.

HEALTH HAZARDS (ACUTE AND CHRONIC):

Acute- See health hazard data listed above.

Chronic- Prolonged or repeated skin contact may cause drying or cracking of the skin. Repeated excessive exposures may cause chronic central nervous system effects.

CARCINOGENICITY:

NTP? No, IARC MONOGRAPHS? Yes, OSHA REGULATED? No
Crystalline silica is a suspected cancer hazard, based on animal data. There is limited evidence for carcinogenicity in humans. The hazard is from respirable silica dust, which is minimized while bound in paint film.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

May develop sensitivity to components. May aggravate respiratory conditions.

EMERGENCY AND FIRST AID PROCEDURES:

Eye contact- Flush eyes with clean water for at least 15 minutes, occasionally lifting eyelids. Obtain medical attention.

Skin contact- Remove contaminated clothing. Wash effected skin areas thoroughly with soap and water. Wash contaminated clothing before reuse.

Inhalation- Remove victim to fresh air. Use artificial respiration, or administer oxygen as necessary. Get medical attention.

Ingestion- Keep person warm, quiet and get immediate medical attention. Do not induce vomiting. Do not give liquids.

==== SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Avoid breathing vapors. Cover spill with inert, absorbent material. Use non-sparking tools to return material to containers. Seal containers and move to safe area.

WASTE DISPOSAL METHOD:

Conventional methods in compliance with local, State and Federal Regulations. Do not incinerate sealed containers. This product is classified as an "ignitable" hazardous waste.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Combustible! Keep away from heat and flame. Keep containers tightly closed and upright to prevent leakage. Store in well ventilated area.

OTHER PRECAUTIONS:

Warning! Contains Petroleum Distillates! Do not take internally! Close container after each use. Avoid contact with eyes, and prolonged contact with skin, or breathing of spray mist. Keep away from children! If sanding film, wear a dust particle mask to avoid breathing of sanding dust.

NOTICE- Reports have associated permanent brain and nervous system damage with repeated prolonged over-exposure to solvents among persons engaged in the painting trade. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

===== SECTION IX - CONTROL MEASURES =====**RESPIRATORY PROTECTION:**

Use NIOSH approved respirator specified for protection against paint spray mist and organic vapors in restricted or confined areas.

VENTILATION:

Adequate to maintain working atmosphere below TLV (Threshold Limit Value) and LEL (Lower Explosive Limit). Mechanical exhaust may be required in confined areas. Discharge exhaust in area away from ignition sources and people.

PROTECTIVE GLOVES: Hydrocarbon insoluble rubber or plastic.

EYE PROTECTION: Chemical goggles or face splash shield.

OTHER PROTECTIVE EQUIPMENT: Clothing adequate to protect skin.

HYGENIC PRACTICES: Wash hands before eating, smoking or using the washroom. Smoke only in authorized areas.

===== SECTION X - DISCLAIMER =====

The information in this MSDS was obtained from sources we believe are reliable. However, the information is provided without representation or warranty regarding its accuracy or correctness. We do not assume responsibility, and expressly disclaim liability for loss, damage or expense arising out of mishandling, storage, use or disposal of this product.

MSDS Category Reference: Lacq-Thinner

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME

Brod Dugan Company
2145 Schuetz Road
St. Louis, Mo 63146

EMERGENCY TELEPHONE NO.

CHEMTREC
(800) 424-9300

DATE OF PREPARATION May, 1991

INFORMATION TELEPHONE NO.

(314) 567-1111

NAME OF PREPARER: S. Crouse

===== SECTION II - PRODUCT IDENTIFICATION =====

Lacquer Thinner

===== SECTION II - HAZARDOUS INGREDIENTS =====

% wt.

LACQUER DILUENT, CAS# 64742-89-8 25-35

ACETONE, CAS# 67-64-1 <25

TOLUENE, CAS# 108-88-3 <20

METHYL ALCOHOL, CAS# 67-56-1 <20

ETHYLENE GLYCOL MONOBUTYL ETHER, CAS# 111-76-2 <5

METHYL ISOBUTYL KETONE, CAS# 108-10-1 <5

===== SECTION IV - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING RANGE: 185-195 Deg. F VAPOR DENSITY: Heavier than air

EVAPORATION RATE: Slower than Ether

SOLUBILITY IN WATER: Dispersible

APPEARANCE & ODOR: Colorless fluid, with sweet, aromatic odor

===== SECTION V - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: 0 Deg. F.

FLAMMABLE LIMITS IN AIR BY VOLUME: LOWER: UPPER:

Extremely flammable! Lower & upper limits not detectable.

EXTINGUISHING MEDIA: Alcohol foam, CO2, Dry Chemical, Water fog.

SPECIAL FIREFIGHTING PROCEDURES: Danger! Extremely flammable!
Do not use water stream on burning liquid. Cool exposed
containers with water. Self-contained breathing apparatus with
full facepiece, operated in positive pressure-demand mode, and
full protective equipment should be worn in fighting fires
involving chemicals.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may explode when exposed to fire. Overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Vapors are heavier than air and may travel along the ground, or be moved by ventilation, and ignited by flames or ignition sources at locations away from material handling point.

===== SECTION VI - REACTIVITY DATA =====

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Burning may produce carbon dioxide, carbon monoxide

CONDITIONS TO AVOID: Excessive heat, sparks or open flame.

INCOMPATIBILITY (Materials to Avoid): Oxidizing agents.

===== SECTION VII - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Excessive inhalation of vapors can cause nasal and respiratory irritation, dizziness, disturbed vision, unconsciousness, respiratory failure and coma. Repeated excessive exposures may cause chronic systemic effects.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Eye contact- Moderate to severe irritation, redness, tearing and blurred vision. Skin contact- Can cause irritation. Prolonged or repeated contact can cause defatting, and result in dermatitis.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

No specific hazards for absorption.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Possibly toxic. Ingestion will cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into lungs can cause chemical pneumonitis, which can be fatal.

HEALTH HAZARDS (ACUTE AND CHRONIC):

Acute- See health hazard data listed above.

Chronic- Visual disturbances, metabolic acidosis. Kidney and liver damage possible (contains toluene).

CARCINOGENICITY: NTP? No, IARC MONOGRAPHS? No, OSHA REGULATED? No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

Breathing disorders, dermatitis.

EMERGENCY AND FIRST AID PROCEDURES:

Eye contact- Flush eyes with clean water for at least 15 minutes, occasionally lifting eyelids. Obtain medical attention.

Skin contact- Remove contaminated clothing. Wash effected skin areas thoroughly with soap and water. Wash contaminated clothing before reuse. If redness or swelling develops, get medical assistance.

Inhalation- Remove victim to fresh air. Use artificial respiration, or administer oxygen as necessary. Get medical attention.

Ingestion- Keep person warm, quiet and get immediate medical attention. Do not induce vomiting.

==== SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Ventilate area. Avoid breathing vapors. Wear respiratory protection for large spill or release. Cover spill with inert, absorbent material. Use non-sparking tools to return materials to container. Seal containers and move to safe area.

WASTE DISPOSAL METHOD:

Conventional methods in compliance with local, State and Federal Regulations. Do not incinerate sealed containers. This product is classified as an "ignitable" hazardous waste.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Warning! Extremely flammable! Keep away from heat and flame. Keep containers tightly closed and upright to prevent leakage. Store in well ventilated area. Containers are considered hazardous even when empty.

OTHER PRECAUTIONS:

Danger! Harmful or fatal if swallowed. Vapor harmful. Do not take internally! Close container after each use. Avoid contact with eyes, and prolonged contact with skin, or breathing of spray mist. Keep away from children!

NOTICE- Reports have associated permanent brain and nervous system damage with repeated prolonged over-exposure to solvents among persons engaged in the painting trade. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

===== SECTION IX - CONTROL MEASURES =====

RESPIRATORY PROTECTION:

Use NIOSH approved respirator specified for protection against spray mist and organic vapors in restricted or confined areas.

VENTILATION:

Adequate to maintain working atmosphere below TLV (Threshold Limit Value) and LEL (Lower Explosive Limit). Mechanical exhaust may be required in confined areas. Discharge exhaust in area away from ignition sources and people.

PROTECTIVE GLOVES: Rubber or plastic suitable for organic solvent.

EYE PROTECTION: Splash-proof chemical goggles or face splash shield.

OTHER PROTECTIVE EQUIPMENT: Impervious clothing and boots adequate to protect skin.

HYGENIC PRACTICES: Wash hands before eating, smoking or using the washroom. Smoke only in authorized areas.

===== SECTION X - DISCLAIMER =====

The information in this MSDS was obtained from sources we believe are reliable. However, the information is provided without representation or warranty regarding its accuracy or correctness. We do not assume responsibility, and expressly disclaim liability for loss, damage or expense arising out of mishandling, storage, use or disposal of this product.

MSDS Category Reference: MS-Clear

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME

Brod-Dugan Company
2145 Schuetz Road
St. Louis, Mo 63146

EMERGENCY TELEPHONE NO.

CHEMTREC
(800) 424-9300

DATE OF PREPARATION: May, 1991

INFORMATION TELEPHONE NO.

(314) 567-1111

NAME OF PREPARER: S. Crouse

===== SECTION II - PRODUCT IDENTIFICATION =====

5% GE Silicone Water Repellent
Duraclear Gloss Varnish
Duraclear Gym Finish
Duraclear Marine Spar Varnish
Duraclear Pale Satin Varnish
Duraclear Penetrating Floor Sealer
Duraclear Polyurethane Gloss Varnish
Duraclear Polyurethane Semi-Gloss Varnish
Sur-sol
Tru-sol

===== SECTION III - HAZARDOUS INGREDIENTS =====

% wt.

ALIPHATIC HYDROCARBON SOLVENT, CAS# 8052-41-3 50-100
(Stoddard solvent)

===== SECTION IV - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING RANGE: 280-320 Deg. F VAPOR DENSITY: Heavier than air
EVAPORATION RATE: Slower than Ether
SOLUBILITY IN WATER: Not Soluble
APPEARANCE & ODOR: Amber or colorless fluid, with mild naphtha odor

===== SECTION V - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: 102 Deg. F., T.C.C.

FLAMMABLE LIMITS IN AIR BY VOLUME: LOWER: 0.7% UPPER: 7.0%

EXTINGUISHING MEDIA: Foam, CO2, Dry Chemical, Water Fog

SPECIAL FIREFIGHTING PROCEDURES: Do not use water stream on burning liquid. Cool exposed containers with water. Self-contained breathing apparatus and full protective equipment should be worn in fighting fires involving chemicals.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Closed containers may explode when exposed to fire. Overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Vapors are heavier than air and may travel along the ground, or be moved by ventilation, and ignited by flames or ignition sources at locations away from material handling point.

===== SECTION VI - REACTIVITY DATA =====

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Burning may produce carbon dioxide, carbon monoxide and organic acids.

CONDITIONS TO AVOID: Excessive heat, sparks or open flame.

INCOMPATIBILITY (Materials to Avoid): Strong oxidizing agents.

===== SECTION VII - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Excessive inhalation of vapors can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea and headache. Massive overexposure may cause narcosis (central nervous system depression), unconsciousness and death. Repeated excessive exposures may cause chronic central nervous system effects.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Eye contact- Severe irritation, redness, tearing and blurred vision.

Skin contact- Prolonged or repeated exposure can cause moderate irritation, defatting and dermatitis.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

None indicated.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Ingestion can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into lungs can cause chemical pneumonitis, which can be fatal.

HEALTH HAZARDS (ACUTE AND CHRONIC):

Acute- See health hazard data listed above.

Chronic- Prolonged or repeated skin contact may cause drying or cracking of the skin. Repeated excessive exposures may cause chronic central nervous system effects.

CARCINOGENICITY: NTP? No, IARC MONOGRAPHS? No, OSHA REGULATED? No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

May develop sensitivity to components. May aggravate respiratory conditions.

EMERGENCY AND FIRST AID PROCEDURES:

Eye contact- Flush eyes with clean water for at least 15 minutes, occasionally lifting eyelids. Obtain medical attention.

Skin contact- Remove contaminated clothing. Wash effected skin areas thoroughly with soap and water. Wash contaminated clothing before reuse.

Inhalation- Remove victim to fresh air. Use artificial respiration, or administer oxygen as necessary. Get medical attention.

Ingestion- Keep person warm and quiet. Get immediate medical attention. Do not induce vomiting. Do not give liquids.

==== SECTION VIII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Remove all sources of ignition. Avoid breathing vapors. Cover spill with inert, absorbent material. Use non-sparking tools to return material to containers. Seal containers and move to safe area.

WASTE DISPOSAL METHOD:

Conventional methods in compliance with local, State and Federal Regulations. Do not incinerate sealed containers. This product is classified as an "ignitable" hazardous waste.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Caution! Combustible! Keep away from heat and flame. Keep containers tightly closed and upright to prevent leakage. Store in well ventilated area.

OTHER PRECAUTIONS:

Warning! Contains Petroleum Distillates! Do not take internally! Close container after each use. Avoid contact with eyes, and prolonged contact with skin, or breathing of spray mist. Keep away from children! If sanding film, wear a dust particle mask to avoid breathing of sanding dust.

NOTICE- Reports have associated permanent brain and nervous system damage with repeated prolonged over-exposure to solvents among persons engaged in the painting trade. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

===== SECTION IX - CONTROL MEASURES =====

RESPIRATORY PROTECTION:

Use NIOSH approved respirator specified for protection against paint spray mist and organic vapors in restricted or confined areas.

VENTILATION:

Adequate to maintain working atmosphere below TLV (Threshold Limit Value) and LEL (Lower Explosive Limit). Mechanical exhaust may be required in confined areas. Discharge exhaust in area away from ignition sources and people.

PROTECTIVE GLOVES: Hydrocarbon insoluble rubber or plastic.

EYE PROTECTION: Chemical goggles or face splash shield.

OTHER PROTECTIVE EQUIPMENT: Clothing adequate to protect skin.

HYGENIC PRACTICES: Wash hands before eating, smoking or using the washroom. Smoke only in authorized areas.

===== SECTION X - DISCLAIMER =====

The information in this MSDS was obtained from sources we believe are reliable. However, the information is provided without representation or warranty regarding its accuracy or correctness. We do not assume responsibility, and expressly disclaim liability for loss, damage or expense arising out of mishandling, storage, use or disposal of this product.

ABBREVIATIONS: NA = NOT APPLICABLE
 ND = NOT DETERMINED
 NE = NOT ESTABLISHED

Paste

Edward Simon Paints

HEALTH = 0
 FLAMMABILITY = 0
 REACTIVITY = 0
 PERSONAL PROTECTION = +
 + SEE SECTION VIII

SECTION I-MATERIAL IDENTIFICATION AND USE

MATERIAL NAME/IDENTIFIER: SHUR-STIK 111, H.D. W/C ADH.
 MANUFACTURERS NAME AND ADDRESS: GIBSON-ROMANS COMPANY
 1755 ENTERPRISE PARKWAY
 TWINSBURG, OHIO 44087

EMERGENCY TELEPHONE NO.: (DAY) 216/423-3235 (EVENING) 216/467-8128
 DATE PREPARED: JANUARY, 1988 REVISED: JULY 2, 1991

CHEMICAL FAMILY: MIXTURE
 CHEMICAL FORMULA/MOLECULAR WT: NA
 TRADE NAME AND SYNONYMS: NA
 MATERIAL USE: WALLPAPER ADHESIVE

SECTION II-HAZARDOUS INGREDIENTS

CHEMICAL NAME	OSHA-PEL	ACGIH-TLV	LD50/LC50	% WT
SODIUM NITRATE	18MG/M3 TOTAL	10MG/M3 TOTAL	2680 MG/KG	3-7
CAS #7631-99-4	5 MG/M3 RESP	-	(ORAL RAT)	
CARCINOGEN: NO				
SARA TITLE III, SECT. 313 REPORTABLE: NO				

SECTION III-PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: 212 DEG. F. VAPOR PRESSURE(MM): 25 DEG.C 18
 VAPOR DENSITY(AIR=1): >1
 SPECIFIC GRAVITY/DENSITY(G/ML): 1.0-1.3 MELTING/FREEZING POINT: NA
 EVAPORATION RATE(EUAC=1): <1 SOLUBILITY IN WATER: MISCIBLE
 VOLATILE BY VOLUME: 30-80 PH: 5.0-7.0
 COEFFICIENT OF WATER/OIL DISTRIBUTION: NO ODOR THRESHOLD(PPM): NO
 APPEARANCE, PHYSICAL STATE AND ODOR: BEIGE PASTE

SECTION IV-FIRE AND EXPLOSION DATA

FLASH POINT: NA - WATER BASED UPPER EXPLOSION LIMIT: UNKNOWN
 AUTO IGNITION TEMPERATURE: NA LOWER EXPLOSION LIMIT: UNKNOWN
 SENSITIVITY TO CHEMICAL IMPACT: NA RATE OF BURNING: NA
 EXPLOSIVE POWER: NA SENSITIVITY TO STATIC DISCHARGE: NA
 EXTINGUISHING MEDIA: NA
 SPECIAL FIRE FIGHTING PROCEDURES: NA
 UNUSUAL FIRE AND EXPLOSION HAZARDS: NA
 FLAMMABILITY: NO
 UNDER WHAT CONDITIONS: NA

SECTION V-REACTIVITY DATA

STABILITY-MATERIAL IS: STABLE
 CONDITIONS TO AVOID: NA
 INCOMPATIBILITY(MATERIALS TO AVOID): STRONG OXIDIZERS
 HAZARDOUS DECOMPOSITION/COMBUSTION PRODUCTS: NA
 HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
 CONDITIONS TO AVOID: NA

SECTION VI-HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY: SKIN - INGESTION
 EFFECTS OF OVEREXPOSURE, CHRONIC: NONE KNOWN
 EFFECTS OF OVEREXPOSURE, ACUTE: SKIN: MAY CAUSE SLIGHT IRRITATION. EYES: MAY
 CAUSE IRRITATION. INGESTION: LARGE AMOUNTS MAY CAUSE NAUSEA,
 VOMITING.
 EMERGENCY AND FIRST AID PROCEDURES: SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH
 WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. INGESTION: SEEK MEDICAL

ATTENTION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: UNKNOWN

CARCINOGENICITY: NO

USE OF PRODUCT: NO

IRRITANT?: NO

SYNERGISTIC MATERIALS: NA

REPRODUCTIVE EFFECTS: NO

LC50 OF PRODUCT: NO

SENSITIZER?: NO

TERATOGENIC: NO

MUTAGENIC: NO

SECTION VII--PREVENTIVE MEASURES, SAFE HANDLING AND USE

LEAK AND SPILL PROCEDURES: SCOOP UP AND RETURN TO CONTAINER.

WASTE DISPOSAL METHOD: DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP CONTAINER CLOSED WHEN NOT IN USE.

OTHER: KEEP OUT OF THE REACH OF CHILDREN!

SECTION VIII--CONTROL MEASURES/PROTECTION INFORMATION

VENTILATION: NORMAL VENTILATION ADEQUATE.

RESPIRATORY PROTECTION: NOT NECESSARY.

PROTECTIVE GLOVES: NOT NORMALLY REQUIRED

EYE PROTECTION: NA

OTHER PROTECTIVE EQUIPMENT: NA

WORK/HYGENIC PRACTICES: REMOVE CONTAMINATED CLOTHING. LAUNDER BEFORE REUSE.

SECTION IX--REGULATORY INFORMATION

REPORTABLE QUANTITY (MIN. UNDER ANY ACT): NONE

RCRA HAZARDOUS WASTE NO: (FED) NONE

DOT PROPER SHIPPING NAME: ADHESIVE NOS

DOT HAZARD CLASS: NOT REGULATED

IDENTIFICATION NO: NMFC ITEM NO. 04420 SUB. 5

VOLATILE ORGANIC COMPOUNDS(VOC): 10 G/L MAX.

DOT CLASSIFICATION(CAN): NOT REGULATED

EXPORT CLASSIFICATION:

THE INFORMATION ACCUMULATED HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT, APPLICABLE AND SUITABLE TO THEIR CIRCUMSTANCES.

Edward Simon Painting

MATERIAL SAFETY DATA SHEET

GENIUM PUBLISHING CORPORATION
1145 CATALYN STREET
SCHENECTADY, NY 12303-1836 USA
(518) 377-8855



No. 3343

STODDARD SOLVENT

Type III

Revision A

Date November 1977

SECTION I. MATERIAL IDENTIFICATION

MATERIAL NAME: STODDARD SOLVENT, Type III

OTHER DESIGNATIONS: Odorless Mineral Spirits, Odorless Petroleum Spirits, Odorless Solvent, ASTM D484 Type III, GE Material D5B8C

DESCRIPTION: Highly aliphatic hydrocarbon mixture with a controlled distillation range and flash point and low odor.

MANUFACTURER: Available from many suppliers.

SECTION II. INGREDIENTS AND HAZARDS

Stoddard Solvent, Type III

Typical Composition: A highly aliphatic hydrocarbon mixture, often isoparaffins with some naphthenes.

*This is the current OSHA TLV level for Stoddard Solvent and Petroleum Distillates.

ACGIH has indicated that future TLV levels should depend on the actual composition of the hydrocarbon mixture. (Suppliers' estimates are usually 100-300 ppm for TLV for this solvent.)

X

HAZARD DATA

TLV 500 ppm *
(or 2950 mg/m³)

SECTION III. PHYSICAL DATA

Boiling point, 1 atm, deg F — 300-412

Vapor pressure @ 25 C, mm Hg — ca 5

Vapor density (Air = 1) — ca 4.8 av

Solubility in water — Insoluble

Specific gravity (H₂O = 1) — ca 0.76

Volatiles, X — ca 100

Evaporation rate (BuAc = 1) — ca 0.08

Appearance & odor: Clear, colorless liquid with a slight odor.

SECTION IV. FIRE AND EXPLOSION DATA

Flash Point and Method

Autoignition Temp.

Flammability Limits in Air

(TCC)--- 100 F minimum

450-500 F

X by volume

LOWER

UPPER

0.9

6

Extinguishing media: Foam, dry chemical, carbon dioxide, and water spray or fog.

Combustion in a limited amount of air can generate toxic carbon monoxide. Use self-contained breathing apparatus for respiratory protection in fighting fires in enclosures.

Note that this liquid is near its lower flammability limit (saturated air at 25 C contains about 0.5 volume X of Stoddard Solvent). In a fire situation or when it is heated, it becomes a highly flammable material.

SECTION V. REACTIVITY DATA

This material is considered to be stable under its normal handling and storage conditions. As a combustible hydrocarbon, it can react violently with strong oxidizing agents such as chlorine, oxygen, or such strong oxidizing acids as nitric and sulfuric. Store away from these and other strong oxidizing agents.

SECTION VI. HEALTH HAZARD INFORMATION

TLV 300 ppm/100 ppm (see Sect. II)

Stoddard Solvent, like all petroleum distillates, is a central nervous system depressant. Symptoms of overexposure include dizziness, headache, intoxication with euphoria leading to unconsciousness. Nose and throat irritation may occur from inhalation. Prolonged or repeated skin contact will cause defatting and dermatitis. Eye contact with the liquid causes conjunctivitis. Eye irritation can occur after 15 minutes at 470 ppm. A fatal ingestion dosage for humans is 3-4 ounces if no aspiration into the lungs occurs; aspiration of one ounce or less can be fatal.

FIRST AID:

Inhalation: Remove to fresh air. Give artificial respiration if required. Get medical assistance.

Eye contact: Wash eyes immediately with large amounts of water.

Skin contact: Wash contact area promptly with soap and water. Remove solvent wet clothing immediately.

Ingestion: Do not induce vomiting. Contact a physician immediately!

SECTION VII. SPILL, LEAK, AND DISPOSAL PROCEDURES

For massive spills, evacuate the area. Eliminate ignition sources. Recover as much of the free liquid as possible for disposal, and use an absorbent to pick up the residue. Avoid discharging Stoddard Solvent directly into a sewer or surface waters. Dispose of the absorbed material or the free waste liquid by incineration or via a licensed solvent disposal company.

SECTION VIII. SPECIAL PROTECTION INFORMATION

Work place areas require exhaust ventilation to maintain vapor levels below the TLV. In emergencies respiratory protection can be provided for a limited time by an approved organic vapor cartridge below 3500 mg/m³; above this level a full facepiece canister-type, air-supplied-type, or self-contained-type respirator is required.

Rubber or polyvinyl gloves should be used to prevent prolonged or repeated skin contact. Safety goggles or face shields should be used where splashing of solvent into the eyes is possible. An eye wash fountain should also be available in areas where splashing is probable.

Ventilation equipment should be explosion-proof, and any tools used in the area should be of the non-sparking type.

SECTION IX. SPECIAL PRECAUTIONS AND COMMENTS

This combustible liquid should be stored in a cool, clean, well-ventilated, fire resistant storage room or in a solvent storage cabinet that meets OSHA requirements. Store in closed metal drums or safety cans with identifying labels that indicate the flammability of the material.

Electrically interconnect and ground containers for transfers of liquid to avoid fires from static sparks.


Areas of use and storage for this material should have good ventilation and all sources of open flame and high heat should be excluded. Prohibit smoking in these areas.

Judgments as to the suitability of information herein for purchaser's purposes are the purchaser's responsibility. Therefore, although restrictions have been taken in the preparation of such information, GE does not warrant, either expressly or impliedly, against its reproduction and assumes no responsibility as to the accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.

APPROVED: 

Industrial Hygienist and
Chemical Safety Coordinator,
GE Electronics Laboratory
Syracuse, NY 13201

ATTACHMENT 8



Edward Simon Painting DEM
St. Louis County

Hazardous Waste Storage drums.
1-gal + 5 gal buckets contain
spent solvent.

Funnel in bung hole.

0-3212

Edward Simon Painting DEM
St. Louis County

Hazardous Waste Storage drums.
1-gal + 5 gal buckets contain
spent solvent.

Funnel in bung hole.

00-3212

Edward Simon Painting DEM
St. Louis County

Hazardous Waste Storage drums.
1 gal + 5 gal buckets contain
spent solvent.

Funnel in bung hole.


4-3212

Edward Simon Painting DEM
St. Louis County

Hazardous Waste Storage drums.
1-gal + 5 gal buckets contain
spent solvent. (Dirty Thinner)

Funnel in bung hole.

1-3212



Edward Simon Painting
St. Louis County

DEM

Drums in storage.

5-3212

Edward Simon Painting
St. Louis County

DEM

Drums in storage

2-3212

Edward Simon Painting
St. Louis County

DEM

Drums in storage. ①②③
④⑤

Drums # 2, 3 + 5 are open & contain
paint waste solids.

Drum # 1 is empty.

Drum # 4 contains floor sealer -
old unused product

2 2217.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
NOTICE OF VIOLATION PURSUANT TO REQUIREMENTS OF THE MISSOURI
HAZARDOUS WASTE MANAGEMENT LAW, RULES AND REGULATIONS

3238

Recorded

FACILITY NAME EDWARD SIMON PAINTING			
ADDRESS 7220 MURDOCH AVE.		CITY SHREWSBURY	STATE MO
MISSOURI ID NUMBER 14923		DATE OF INSPECTION 8-4-93	

During an inspection and/or a review of information or documentation completed this date to determine compliance with the requirements of the Missouri Hazardous Waste Management Law, Section 260.350 - 260.550 RSMo, and/or the Rules and Regulations 10 CSR 25 the following violations were identified. The 40/49 CFR regulations cited below have been adopted by reference in the Missouri Hazardous Waste Regulations.

CITATION	DESCRIPTION OF VIOLATION
40 CFR 262.11	FAILURE TO DETERMINE IF A WASTE IS HAZARDOUS
40 CFR 262.34(e)	STORAGE OF HAZARDOUS WASTE OVER 180 DAYS
40 CFR 265.173(a)	OPEN CONTAINERS OF HAZARDOUS WASTE
40 CFR 262.32(h)	WASTE NOT MARKED CONTAINERS
40 CFR 262.34(a)(2)	CONTAINERS OF WASTE NOT DATED
40 CFR 265.32(c)	INADEQUATE SPILL CONTROL

This information is provided to call your attention to those areas of noncompliance at the earliest possible time. This notice does not constitute a compliance order issued pursuant to Section 260.410, RSMo and may not be a complete listing of all violations which may be identified as a result of this inspection.

The owner/operator is hereby requested to submit in writing within 15 days of receipt of this notice a description of all corrective actions taken and/or a schedule for completion of necessary corrective actions to be taken to: Chief, Enforcement Section, Hazardous Waste Program, Department of Natural Resources, P.O. Box 176, Jefferson City, MO 65102 with a copy to the Director, ST LOUIS REGIONAL OFFICE, 10805 SUMMIT OFFICE DR. SUITE 100
ST LOUIS, MO 63127

The corrective actions taken within 15 days of this notice will be considered in determining whether enforcement action, including the assessment of civil penalties, should be initiated.

If you have any questions on this notice or wish to discuss your response, you may call DDA'S MANN OR
MIKE STRICKLAND
at 314-222-0101 or BRUCE MARTIN at 314-251-3176

Signature of Preparer Mike Strickland Date 8-4-93

The undersigned person hereby acknowledges that he/she received a copy of this Notice and has read same.

SIGNATURE 	PRINTED NAME Ruth H. Harze
TITLE Office Manager	DATE 8-4-93